

## Hasil Uji Statistik Pengaruh Intensitas Penggunaan Gadget Terhadap Hasil Belajar PAI siswa

1. **Tabel 1.** Frekuensi Skor Intensitas Penggunaan *Gadget*

No	Skor	Frekuensi
1	29.00	1
2	33.00	2
3	35.00	1
4	38.00	1
5	39.00	1
6	41.00	2
7	42.00	2
8	43.00	3
9	44.00	3
10	45.00	3
11	46.00	1
12	47.00	4
13	48.00	1
14	51.00	1
15	52.00	1
16	54.00	1
17	60.00	1
18	64.00	1

Sumber: Olah data dari *Output* SPSS versi 26 (Kuesioner)

2. **Tabel 2.** Interval Intensitas Penggunaan *Gadget*

Kategori	Rumus	Interval
Rendah	$X < M - 1 \text{ SD}$	$< 37,06$
Sedang	$M - 1 \text{ SD} \leq X < M + 1 \text{ SD}$	$37,06 \leq X < 51,74$
Tinggi	$X \geq M + 1 \text{ SD}$	$\geq 51,74$

3. **Tabel 3.** Skor Hasil Belajar PAI Siswa

No	Skor	Frekuensi
1	45.00	1
2	50.00	1
3	55.00	5
4	60.00	4
5	65.00	5
6	70.00	4
7	75.00	8
8	80.00	2

Sumber: Olah data dari *Output* SPSS versi 26 (Soal PAI)

4.

**Tabel 4.** Interval Hasil Belajar PAI

Kategori	Rumus	Interval
Rendah	$X < M - 1 \text{ SD}$	$< 56.45$
Sedang	$M - 1 \text{ SD} \leq X < M + 1 \text{ SD}$	$56.45 \leq X < 75.21$
Tinggi	$X \geq M + 1 \text{ SD}$	$\geq 75.21$

5.

**Tabel 5.** Hasil Uji Normalitas

### Tests of Normality

Kolmogorov-Smirnov<sup>a</sup>

	Statistic	df	Sig.
Unstandardized Residual	0,127	30	.200 <sup>*</sup>

\*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

Sumber: *Output SPSS versi 26*

6.

**Tabel 6.** Hasil Uji Homogenitas

### Test of Homogeneity of Variances

		Levene Statistic	df1	df2	Sig.
Y	Based on Mean	1,450	2	27	0,252
	Based on Median	1,239	2	27	0,306
	Based on Median and with adjusted df	1,239	2	21,189	0,310
	Based on trimmed mean	1,438	2	27	0,255

Sumber: *Output SPSS versi 26*

7.

**Tabel 7.** Hasil Uji Linearitas**ANOVA**

Y

			Sum of Squares	df	Mean Square	F	Sig.
Between Groups	(Combined)		1372,917	17	80,760	0,820	0,655
	Linear Term	Weighted	578,081	1	578,081	5,873	0,032
		Deviation	794,836	16	49,677	0,505	0,899
Within Groups			1181,250	12	98,438		
Total			2554,167	29			

Sumber: *Output SPSS versi 26*

8.

**Tabel 8.** Uji T (Parsial)**Coefficients<sup>a</sup>**

Model				Standardized Coefficients	t	Sig.	95,0% Confidence Interval for B	
				Beta			Lower Bound	Upper Bound
1	(Constant)	38,816	9,564		4,059	0,000	19,225	58,406
	X	0,609	0,213	0,476	2,862	0,008	0,173	1,044

a. Dependent Variable: Y

Sumber: *Output SPSS versi 26*

9.

**Tabel 9.** Uji F (Simultan)

### ANOVA<sup>a</sup>

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	578,081	1	578,081	8,191	.008 <sup>b</sup>
	Residual	1976,086	28	70,574		
	Total	2554,167	29			

a. Dependent Variable: Y

b. Predictors: (Constant), X

Sumber: *Output SPSS versi 26*

10.

**Tabel 10.** Analisis Regresi Linear Sederhana

### Coefficients<sup>a</sup>

Model				Standardized Coefficients	t	Sig.	95,0% Confidence Interval for B	
				Beta			Lower Bound	Upper Bound
1	(Constant)	38,816	9,564		4,059	0,000	19,225	58,406
	X	0,609	0,213	0,476	2,862	0,008	0,173	1,044

a. Dependent Variable: Y

Sumber: *Output SPSS versi 26*

11.

. Tabel 11. Koefisien Determinasi ( $R^2$ )

### Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Change Statistics	F Change	df 1	df 2	Sig. F Change
1	.476 <sup>a</sup>	0,226	0,199	8,40086	0,226	8,191	1	28	0,008

a. Predictors: (Constant), X

Sumber: *Output SPSS versi 26*

