

Tests of Normality

		Kolmogorov-Smirnov ^a			Shapiro-...
		Statistic	df	Sig.	Statistic
Persentase luka hari ke 12	Kontrol negatif	.274	6	.179	.825
	F1	.171	6	.200 [*]	.925
	F2	.254	6	.200 [*]	.894
	F3	.251	6	.200 [*]	.893

Tests of Normality

		Shapiro-Wilk	
		df	Sig.
Persentase luka hari ke 12	Kontrol negatif	6	.098
	F1	6	.544
	F2	6	.341
	F3	6	.332

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

Persentase luka hari ke 12

Stem-and-Leaf Plots

Persentase luka hari ke 12 Stem-and-Leaf Plot for
kelompok_perlakuan= Kontrol negatif

```

Frequency      Stem & Leaf
              3,00      7 . 011
              3,00      7 . 688

Stem width:      10,00
Each leaf:       1 case(s)

```

Persentase luka hari ke 12 Stem-and-Leaf Plot for
kelompok_perlakuan= F1

```

Frequency      Stem & Leaf
              2,00      6 . 16
              2,00      7 . 59
              2,00      8 . 67

```

Stem width: 10,00
Each leaf: 1 case(s)

Persentase luka hari ke 12 Stem-and-Leaf Plot for
kelompok_perlakuan= F2

Frequency	Stem &	Leaf
1,00	6 .	2
2,00	7 .	39
,00	8 .	
3,00	9 .	135

Stem width: 10,00
Each leaf: 1 case(s)

Persentase luka hari ke 12 Stem-and-Leaf Plot for
kelompok_perlakuan= F3

Frequency	Stem &	Leaf
1,00	7 .	9
2,00	8 .	48
3,00	9 .	344

Stem width: 10,00
Each leaf: 1 case(s)

Normal Q-Q Plots

Descriptives

Persentase luka hari ke 12

	Minimum	Maximum
Kontrol negatif	70.16	78.44
F1	61.47	87.24
F2	62.95	95.06
F3	79.90	94.90
Total	61.47	95.06

Tests of Homogeneity of Variances

		Levene Statistic	df1	df2	Sig.
Persentase luka hari ke 12	Based on Mean	4.187	3	20	.019
	Based on Median	3.408	3	20	.038
	Based on Median and with adjusted df	3.408	3	12.813	.051
	Based on trimmed mean	4.168	3	20	.019

ANOVA

Persentase luka hari ke 12

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	821.347	3	273.782	3.313	.041
Within Groups	1652.652	20	82.633		
Total	2473.999	23			

Post Hoc Tests

Multiple Comparisons

Dependent Variable: Persentase luka hari ke 12

Games-Howell

(I) Kelompok perlakuan tikus	(J) Kelompok perlakuan tikus	Mean Difference (I-J)	Std. Error	Sig.
Kontrol negatif	F1	-1.57167	4.55386	.985
	F2	-8.22167	5.53272	.500
	F3	-14.74167*	2.93667	.004
F1	Kontrol negatif	1.57167	4.55386	.985
	F2	-6.65000	6.81648	.766
	F3	-13.17000	4.94747	.107
F2	Kontrol negatif	8.22167	5.53272	.500
	F1	6.65000	6.81648	.766
	F3	-6.52000	5.86096	.694
F3	Kontrol negatif	14.74167*	2.93667	.004
	F1	13.17000	4.94747	.107
	F2	6.52000	5.86096	.694

Multiple Comparisons

Dependent Variable: Persentase luka hari ke 12

Games-Howell

(I) Kelompok perlakuan tikus	(J) Kelompok perlakuan tikus	95% Confidence Interval	
		Lower Bound	Upper Bound
Kontrol negatif	F1	-17.0927	13.9494
	F2	-27.5191	11.0757
	F3	-24.0394	-5.4439
F1	Kontrol negatif	-13.9494	17.0927
	F2	-27.6756	14.3756
	F3	-28.9987	2.6587
F2	Kontrol negatif	-11.0757	27.5191
	F1	-14.3756	27.6756
	F3	-25.8525	12.8125
F3	Kontrol negatif	5.4439	24.0394
	F1	-2.6587	28.9987
	F2	-12.8125	25.8525

*. The mean difference is significant at the 0.05 level.