

Uji normalitas:

Tests of Normality							
		Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	kelompok_konsentrasi	Statistic	df	Sig.	Statistic	df	Sig.
zona_hambat	25%	.191	4	.	.979	4	.894
	50%	.181	4	.	.984	4	.925
	75%	.175	4	.	.980	4	.900
	100%	.214	4	.	.963	4	.798
	K+	.210	4	.	.982	4	.911
	K-	.	4	.	.	4	.

a. Lilliefors Significance Correction

Uji homogenitas :

Test of Homogeneity of Variances					
		Levene Statistic	df1	df2	Sig.
zona_hambat	Based on Mean	2.297	5	18	.088
	Based on Median	2.211	5	18	.098
	Based on Median and with adjusted df	2.211	5	11.646	.123
	Based on trimmed mean	2.296	5	18	.088

ANOVA					
zona_hambat					
	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	2358.420	5	471.684	11415.544	.000
Within Groups	.744	18	.041		
Total	2359.163	23			

Uji post hoc tukey:

### zona\_hambat

Tukey HSD<sup>a</sup>

kelompok_konsentrasi	N	Subset for alpha = 0.05					
		1	2	3	4	5	6
K-	4	.0000					
25%	4		6.4125				
50%	4			15.2875			
75%	4				21.3500		
100%	4					24.1750	
K+	4						28.0750
Sig.		1.000	1.000	1.000	1.000	1.000	1.000

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 4.000.