

## Uji Normalitas:

### Tests of Normality

kelompok	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
perlakuan_1	1.00	.172	6	.200*	.945	6
	2.00	.245	6	.200*	.842	6
	3.00	.211	6	.200*	.896	6
	4.00	.193	6	.200*	.929	6
	5.00	.160	6	.200*	.941	6
perlakuan_2	1.00	.204	6	.200*	.921	6
	2.00	.232	6	.200*	.862	6
	3.00	.214	6	.200*	.890	6
	4.00	.171	6	.200*	.932	6
	5.00	.197	6	.200*	.906	6
perlakuan_3	1.00	.295	6	.113	.849	6
	2.00	.241	6	.200*	.860	6
	3.00	.220	6	.200*	.888	6
	4.00	.161	6	.200*	.933	6
	5.00	.169	6	.200*	.924	6
perlakuan_4	1.00	.207	6	.200*	.922	6
	2.00	.239	6	.200*	.863	6
	3.00	.227	6	.200*	.859	6
	4.00	.168	6	.200*	.927	6
	5.00	.167	6	.200*	.947	6

\*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

## Uji Homogenitas

### Test of Homogeneity of Variances

		Levene Statistic	df1	df2	Sig.
perlakuan_1	Based on Mean	1.817	4	25	.157
	Based on Median	1.374	4	25	.271
	Based on Median and with adjusted df	1.374	4	21.290	.276
	Based on trimmed mean	1.792	4	25	.162
perlakuan_2	Based on Mean	1.755	4	25	.170
	Based on Median	1.219	4	25	.328
	Based on Median and with adjusted df	1.219	4	20.623	.333
	Based on trimmed mean	1.663	4	25	.190
perlakuan_3	Based on Mean	1.851	4	25	.151
	Based on Median	1.491	4	25	.235
	Based on Median and with adjusted df	1.491	4	21.484	.240
	Based on trimmed mean	1.781	4	25	.164
perlakuan_4	Based on Mean	1.853	4	25	.150
	Based on Median	1.239	4	25	.320
	Based on Median and with adjusted df	1.239	4	20.960	.325
	Based on trimmed mean	1.776	4	25	.165

### ANOVA

		Sum of Squares	df	Mean Square	F	Sig.
perlakuan_1	Between Groups	.839	4	.210	.746	.570
	Within Groups	7.034	25	.281		
	Total	7.874	29			
perlakuan_2	Between Groups	.991	4	.248	.810	.531
	Within Groups	7.650	25	.306		
	Total	8.641	29			
perlakuan_3	Between Groups	1.133	4	.283	.915	.471
	Within Groups	7.740	25	.310		
	Total	8.873	29			
perlakuan_4	Between Groups	.907	4	.227	.768	.556
	Within Groups	7.381	25	.295		
	Total	8.288	29			

## Uji Post Hoc Tukey

### perlakuan\_1

Tukey HSD<sup>a</sup>

kelompok	N	Subset for alpha = 0.05
		1
5.00	6	.8883
4.00	6	.9417
3.00	6	1.0550
2.00	6	1.1733
1.00	6	1.3533
Sig.		.561

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 6.000.

### perlakuan\_2

Tukey HSD<sup>a</sup>

kelompok	N	Subset for alpha = 0.05
		1
5.00	6	.8433
4.00	6	.9267
3.00	6	1.0700
2.00	6	1.1550
1.00	6	1.3633
Sig.		.494

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 6.000.

### perlakuan\_3

Tukey HSD<sup>a</sup>

kelompok	N	Subset for alpha = 0.05
		1
5.00	6	.8
4.00	6	.9
3.00	6	1.0
2.00	6	1.1
1.00	6	1.3
Sig.		.

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 6.000.

### perlakuan\_4

Tukey HSD<sup>a</sup>

kelompok	N	Subset for alpha = 0.05
		1
5.00	6	.8767
4.00	6	.9317
3.00	6	1.0767
2.00	6	1.1550
1.00	6	1.3667
Sig.		.534

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 6.000.