

```

NEW FILE.
DATASET NAME DataSet1 WINDOW=FRONT.
EXAMINE VARIABLES=VAR00001 VAR00002
  /PLOT BOXPLOT STEMLEAF NPLOT
  /COMPARE GROUPS
  /STATISTICS DESCRIPTIVES
  /CINTERVAL 95
  /MISSING LISTWISE
  /NOTOTAL.

```

## Explore

### Notes

Output Created		26-FEB-2026 10:14:44	
Comments			
Input	Active Dataset	DataSet1	
	Filter	<none>	
	Weight	<none>	
	Split File	<none>	
	N of Rows in Working Data File	33	
Missing Value Handling	Definition of Missing	User-defined missing values for dependent variables are treated as missing.	
	Cases Used	Statistics are based on cases with no missing values for any dependent variable or factor used.	
Syntax		EXAMINE VARIABLES=VAR00001 VAR00002 /PLOT BOXPLOT STEMLEAF NPLOT /COMPARE GROUPS /STATISTICS DESCRIPTIVES /CINTERVAL 95 /MISSING LISTWISE /NOTOTAL.	
Resources	Processor Time	00:00:05,95	
	Elapsed Time	00:00:02,80	

[DataSet1]

### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Regulasi Diri	33	100.0%	0	0.0%	33	100.0%
Kemampuan Menghafal	33	100.0%	0	0.0%	33	100.0%

### Descriptives

			Statistic	Std. Error
Regulasi Diri	Mean		133.82	3.499
	95% Confidence Interval for Mean	Lower Bound	126.69	
		Upper Bound	140.94	
	5% Trimmed Mean		135.22	
	Median		142.00	
	Variance		403.966	
	Std. Deviation		20.099	
	Minimum		84	
	Maximum		156	
	Range		72	
	Interquartile Range		33	
	Skewness		-.897	.409
	Kurtosis		-.122	.798
Kemampuan Menghafal	Mean		12.97	.280
	95% Confidence Interval for Mean	Lower Bound	12.40	
		Upper Bound	13.54	
	5% Trimmed Mean		13.06	
	Median		13.00	
	Variance		2.593	
	Std. Deviation		1.610	
	Minimum		9	
	Maximum		15	
	Range		6	
	Interquartile Range		2	
	Skewness		-.474	.409
	Kurtosis		-.391	.798

### Tests of Normality

	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Regulasi Diri	.215	33	.000	.890	33	.003
Kemampuan Menghafal	.163	33	.026	.924	33	.024

a. Lilliefors Significance Correction


## Regulasi Diri


Regulasi Diri Stem-and-Leaf Plot


Frequency	Stem &	Leaf
1,00	8 .	4
1,00	9 .	1

3,00	10 .	159
3,00	11 .	456
5,00	12 .	02789
1,00	13 .	5
11,00	14 .	11234445688
8,00	15 .	33444556

Stem width: 10  
Each leaf: 1 case(s)









## Kemampuan Menghafal


Kemampuan Menghafal Stem-and-Leaf Plot

Frequency	Stem &	Leaf
1,00	9 .	0
1,00	10 .	0
4,00	11 .	0000
7,00	12 .	0000000
6,00	13 .	000000
7,00	14 .	0000000
7,00	15 .	0000000

Stem width: 1  
Each leaf: 1 case(s)







```
MEANS TABLES=VAR00002 BY VAR00001  
/CELLS=MEAN COUNT STDDEV  
/STATISTICS LINEARITY.
```

## Means



### Notes

Output Created	26-FEB-2026 10:16:06	
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	33
Missing Value Handling	Definition of Missing	For each dependent variable in a table, user-defined missing values for the dependent and all grouping variables are treated as missing.
	Cases Used	Cases used for each table have no missing values in any independent variable, and not all dependent variables have missing values.
Syntax		MEANS TABLES=VAR00002 BY VAR00001 /CELLS=MEAN COUNT STDDEV /STATISTICS LINEARITY.
Resources	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,01

### Case Processing Summary

	Cases					
	Included		Excluded		Total	
	N	Percent	N	Percent	N	Percent
Kemampuan Menghafal * Regulasi Diri	33	100.0%	0	0.0%	33	100.0%

## Report

### Kemampuan Menghafal

Regulasi Diri	Mean	N	Std. Deviation
84	11.00	1	.
91	9.00	1	.
101	11.00	1	.
105	12.00	1	.
109	10.00	1	.
114	12.00	1	.
115	13.00	1	.
116	12.00	1	.
120	12.00	1	.
122	12.00	1	.
127	11.00	1	.
128	11.00	1	.
129	13.00	1	.
135	13.00	1	.
141	14.00	2	1.414
142	15.00	1	.
143	14.00	1	.
144	13.67	3	1.528
145	14.00	1	.
146	14.00	1	.
148	13.50	2	2.121
153	14.00	2	.000
154	14.00	3	1.000
155	14.00	2	1.414
156	15.00	1	.
Total	12.97	33	1.610

ANOVA Table

			Sum of Squares	df	Mean Square	F	Sig.
Kemampuan Menghafal * Regulasi Diri	Between Groups	(Combined)	67.803	24	2.825	1.490	.288
		Linearity	50.983	1	50.983	26.892	.001
		Deviation from Linearity	16.820	23	.731	.386	.965
	Within Groups		15.167	8	1.896		
	Total		82.970	32			

### Measures of Association

	R	R Squared	Eta	Eta Squared
Kemampuan Menghafal * Regulasi Diri	.784	.614	.904	.817

NONPAR CORR

```

/VARIABLES=VAR00001 VAR00002
/PRINT=SPEARMAN TWOTAIL NOSIG
/MISSING=PAIRWISE.

```

## Nonparametric Correlations

### Notes

Output Created		26-FEB-2026 10:17:06	
Comments			
Input	Active Dataset	DataSet1	
	Filter	<none>	
	Weight	<none>	
	Split File	<none>	
	N of Rows in Working Data File	33	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.	
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.	
Syntax		NONPAR CORR /VARIABLES=VAR00001 VAR00002 /PRINT=SPEARMAN TWOTAIL NOSIG /MISSING=PAIRWISE.	
Resources	Processor Time	00:00:00,00	
	Elapsed Time	00:00:00,03	
	Number of Cases Allowed	629145 cases <sup>a</sup>	

a. Based on availability of workspace memory

### Correlations

			Regulasi Diri	Kemampuan Menghafal
Spearman's rho	Regulasi Diri	Correlation Coefficient	1.000	.728**
		Sig. (2-tailed)	.	.000
		N	33	33
	Kemampuan Menghafal	Correlation Coefficient	.728**	1.000
		Sig. (2-tailed)	.000	.
		N	33	33

\*\* . Correlation is significant at the 0.01 level (2-tailed).