

2. Hasil Uji Data Statistik Two Way ANOVA

a. Hasil Uji MCV

- Uji Normalitas Data

Tests of Normality						
	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Standardized Residual for nilai	.121	48	.076	.975	48	.395

a. Lilliefors Significance Correction

- Uji Homogenitas

Levene's Test of Equality of Error Variances^{a,b}

		Levene Statistic	df1	df2	Sig.
nilai	Based on Mean	1.902	11	36	.072
	Based on Median	1.101	11	36	.389
	Based on Median and with adjusted df	1.101	11	12.581	.431
	Based on trimmed mean	1.807	11	36	.089

Tests the null hypothesis that the error variance of the dependent variable is equal across groups.

a. Dependent variable: nilai

b. Design: Intercept + Perlakuan + waktu + Perlakuan * waktu

- Uji Two Way Anova

Tests of Between-Subjects Effects

Dependent Variable: nilai

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	20.702 ^a	11	1.882	.407	.944
Intercept	120849.498	1	120849.498	26135.264	.000
Perlakuan	9.744	5	1.949	.421	.831
waktu	.975	1	.975	.211	.649
Perlakuan * waktu	9.983	5	1.997	.432	.823
Error	166.464	36	4.624		
Total	121036.664	48			
Corrected Total	187.166	47			

a. R Squared = .111 (Adjusted R Squared = -.161)

b. Hasil Uji MCH

- Uji Normalitas

Tests of Normality						
	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Standardized Residual for MCH	,097	48	,200*	,976	48	,415

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

- Uji Homogenitas

Levene's Test of Equality of Error Variances ^{a,b}					
		Levene Statistic	df1	df2	Sig.
MCH	Based on Mean	1,656	11	36	,125
	Based on Median	1,232	11	36	,302
	Based on Median and with adjusted df	1,232	11	19,354	,331
	Based on trimmed mean	1,610	11	36	,138

Tests the null hypothesis that the error variance of the dependent variable is equal across groups.

a. Dependent variable: MCH

b. Design: Intercept + Kelompok + Perlakuan + Kelompok * Perlakuan

- Uji Two Way Anova

Tests of Between-Subjects Effects					
Dependent Variable: MCH					
Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	3,103 ^a	11	,282	,569	,841
Intercept	17621,452	1	17621,452	35555,247	,000
Kelompok	1,521	5	,304	,614	,690
Perlakuan	,561	1	,561	1,132	,294
Kelompok * Perlakuan	1,021	5	,204	,412	,837
Error	17,842	36	,496		
Total	17642,397	48			
Corrected Total	20,945	47			

a. R Squared = ,148 (Adjusted R Squared = -,112)

c. Hasil Uji Nilai MCHC

- Uji Normalitas

Tests of Normality						
	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Standardized Residual for MCHC	.118	48	.093	.974	48	.369

a. Lilliefors Significance Correction

- Uji Homogenitas

Levene's Test of Equality of Error Variances ^{a,b}					
		Levene Statistic	df1	df2	Sig.
MCHC2	Based on Mean	1.756	11	35	.101
	Based on Median	.977	11	35	.485
	Based on Median and with adjusted df	.977	11	15.840	.503
	Based on trimmed mean	1.605	11	35	.140

Tests the null hypothesis that the error variance of the dependent variable is equal across groups.

a. Dependent variable: MCHC2

b. Design: Intercept + Kelompok + Perlakuan + Kelompok * Perlakuan

- Uji Two Way Anova

Tests of Between-Subjects Effects					
Dependent Variable: MCHC2					
Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	6.508 ^a	11	.592	1.067	.414
Intercept	68183.907	1	68183.907	122961.022	.000
Kelompok	1.704	5	.341	.615	.689
Perlakuan	3.223	1	3.223	5.813	.021
Kelompok * Perlakuan	1.439	5	.288	.519	.760
Error	19.408	35	.555		
Total	68636.939	47			
Corrected Total	25.916	46			

a. R Squared = ,251 (Adjusted R Squared = ,016)