

3. Hasil Uji Statistik

- Uji Normalitas Tahap Adaptasi

Tests of Normality

	Perlakuan	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
		Statistic	df	Sig.	Statistic	df	Sig.
BB	ADAPTASI	.121	32	.200 [*]	.969	32	.479

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

Tests of Normality

	Perlakuan	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
		Statistic	df	Sig.	Statistic	df	Sig.
SGOT	ADAPTASI	.254	32	.000	.800	32	.000

a. Lilliefors Significance Correction

Tests of Normality

	Perlakuan	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
		Statistic	df	Sig.	Statistic	df	Sig.
SGPT	ADAPTASI	.145	32	.087	.967	32	.419

a. Lilliefors Significance Correction

Tests of Normality

	Perlakuan	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
		Statistic	df	Sig.	Statistic	df	Sig.
MDA	ADAPTASI	.192	32	.004	.848	32	.000

a. Lilliefors Significance Correction

- Uji Homogenitas Tahap Adaptasi

Test of Homogeneity of Variance

		Levene Statistic	df1	df2	Sig.
BB	Based on Mean	.334	7	24	.930
	Based on Median	.189	7	24	.985
	Based on Median and with adjusted df	.189	7	16.983	.984
	Based on trimmed mean	.312	7	24	.942

Test of Homogeneity of Variance

		Levene Statistic	df1	df2	Sig.
SGOT	Based on Mean	1.815	7	24	.130
	Based on Median	.543	7	24	.793
	Based on Median and with adjusted df	.543	7	10.249	.785
	Based on trimmed mean	1.513	7	24	.210

Test of Homogeneity of Variance

		Levene Statistic	df1	df2	Sig.
SGPT	Based on Mean	1.246	7	24	.317
	Based on Median	.827	7	24	.575
	Based on Median and with adjusted df	.827	7	12.996	.583
	Based on trimmed mean	1.187	7	24	.347

Test of Homogeneity of Variance

		Levene Statistic	df1	df2	Sig.
MDA	Based on Mean	1.656	7	24	.168
	Based on Median	.642	7	24	.717
	Based on Median and with adjusted df	.642	7	9.739	.714
	Based on trimmed mean	1.430	7	24	.240

- Uji Normalitas Tahap Parasetamol

Tests of Normality

		Kolmogorov-Smirnov ^a			Shapiro-Wilk		
Perlakuan		Statistic	df	Sig.	Statistic	df	Sig.
BB	2	.158	32	.042	.875	32	.002

a. Lilliefors Significance Correction

Tests of Normality

		Kolmogorov-Smirnov ^a			Shapiro-Wilk		
Perlakuan		Statistic	df	Sig.	Statistic	df	Sig.
SGOT	2	.171	32	.018	.907	32	.009

a. Lilliefors Significance Correction

Tests of Normality

		Kolmogorov-Smirnov ^a			Shapiro-Wilk		
Perlakuan		Statistic	df	Sig.	Statistic	df	Sig.
SGPT	2	.280	32	.000	.712	32	.000

a. Lilliefors Significance Correction

Tests of Normality

		Kolmogorov-Smirnov ^a			Shapiro-Wilk		
Perlakuan		Statistic	df	Sig.	Statistic	df	Sig.
MDA	2	.213	32	.001	.875	32	.001

a. Lilliefors Significance Correction

- Uji Homogenitas Tahap Parasetamol

Test of Homogeneity of Variance

		Levene Statistic	df1	df2	Sig.
BB	Based on Mean	.711	7	24	.663
	Based on Median	.641	7	24	.718
	Based on Median and with adjusted df	.641	7	15.530	.716
	Based on trimmed mean	.713	7	24	.662

Test of Homogeneity of Variance

		Levene Statistic	df1	df2	Sig.
SGOT	Based on Mean	2.166	7	24	.075
	Based on Median	1.372	7	24	.262
	Based on Median and with adjusted df	1.372	7	9.711	.316
	Based on trimmed mean	2.013	7	24	.095

Test of Homogeneity of Variance

		Levene Statistic	df1	df2	Sig.
SGPT	Based on Mean	1.967	7	24	.103
	Based on Median	1.415	7	24	.245
	Based on Median and with adjusted df	1.415	7	10.005	.298
	Based on trimmed mean	1.839	7	24	.126

Test of Homogeneity of Variance

		Levene Statistic	df1	df2	Sig.
MDA	Based on Mean	.106	7	24	.997
	Based on Median	.099	7	24	.998
	Based on Median and with adjusted df	.099	7	12.150	.997
	Based on trimmed mean	.082	7	24	.999

- Uji Normalitas Tahap Kombinasi

Tests of Normality

		Kolmogorov-Smirnov ^a			Shapiro-Wilk		
Perlakuan		Statistic	df	Sig.	Statistic	df	Sig.
BB	KOMBINASI	.193	32	.004	.900	32	.006

a. Lilliefors Significance Correction

Tests of Normality

		Kolmogorov-Smirnov ^a			Shapiro-Wilk		
Perlakuan		Statistic	df	Sig.	Statistic	df	Sig.
SGOT	KOMBINASI	.117	32	.200 [*]	.945	32	.105

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

Tests of Normality

		Kolmogorov-Smirnov ^a			Shapiro-Wilk		
Perlakuan		Statistic	df	Sig.	Statistic	df	Sig.
SGPT	KOMBINASI	.212	32	.001	.792	32	.000

a. Lilliefors Significance Correction

Tests of Normality

		Kolmogorov-Smirnov ^a			Shapiro-Wilk		
Perlakuan		Statistic	df	Sig.	Statistic	df	Sig.
MDA	KOMBINASI	.222	32	.000	.873	32	.001

a. Lilliefors Significance Correction

- Uji Homogenitas Tahap Kombinasi

Test of Homogeneity of Variance

		Levene Statistic	df1	df2	Sig.
BB	Based on Mean	1.126	7	24	.380
	Based on Median	.415	7	24	.883
	Based on Median and with adjusted df	.415	7	13.667	.877
	Based on trimmed mean	.934	7	24	.499

Test of Homogeneity of Variance

		Levene Statistic	df1	df2	Sig.
SGOT	Based on Mean	2.278	7	24	.063
	Based on Median	2.019	7	24	.094
	Based on Median and with adjusted df	2.019	7	13.627	.127
	Based on trimmed mean	2.268	7	24	.064

Test of Homogeneity of Variance

		Levene Statistic	df1	df2	Sig.
SGPT	Based on Mean	.632	7	24	.725
	Based on Median	.437	7	24	.869
	Based on Median and with adjusted df	.437	7	15.528	.864
	Based on trimmed mean	.603	7	24	.748

Test of Homogeneity of Variance

		Levene Statistic	df1	df2	Sig.
MDA	Based on Mean	3.044	7	24	.019
	Based on Median	1.228	7	24	.326
	Based on Median and with adjusted df	1.228	7	10.594	.367
	Based on trimmed mean	2.692	7	24	.033

- Uji Statistik Kruskal Wallis Tahap Adaptasi

Test Statistics^{a,b}

	BB	SGOT	SGPT	MDA
Kruskal-Wallis H	7.423	.463	9.305	5.084
df	2	2	2	2
Asymp. Sig.	.024	.793	.010	.079

a. Kruskal Wallis Test

b. Grouping Variable: Kelompok

• Uji Statistik Kruskal Wallis Tahap Parasetamol

Test Statistics^{a,b}

	BB	SGOT	SGPT	MDA
Kruskal-Wallis H	7.411	8.769	8.639	7.679
df	2	2	2	2
Asymp. Sig.	.025	.012	.013	.022

a. Kruskal Wallis Test

b. Grouping Variable: Kelompok

• Uji Statistik Kruskal Wallis Tahap Kombinasi

Test Statistics^{a,b}

	BB	SGOT	SGPT	MDA
Kruskal-Wallis H	7.420	7.304	8.346	5.297
df	2	2	2	2
Asymp. Sig.	.024	.026	.015	.071

a. Kruskal Wallis Test

b. Grouping Variable: Kelompok