

➤ Uji Normalitas ALP Alkohol

Tests of Normality							
LAMA_KONSUMSI		Kolmogorov-Smirnov ^a			Shapiro-Wilk		
		Statistic	df	Sig.	Statistic	df	Sig.
HASIL	>5 tahun	.112	15	.200 [*]	.951	15	.542
	1- <3 ta	.232	15	.029	.861	15	.025
	3 - 5 ta	.217	15	.056	.876	15	.042

➤ Uji Normalitas GGT Alkohol

Tests of Normality							
Lama Konsumsi		Kolmogorov-Smirnov ^a			Shapiro-Wilk		
		Statistic	df	Sig.	Statistic	df	Sig.
Hasil	>5 tahun	.268	15	.005	.780	15	.002
	1- <3 ta	.228	15	.034	.883	15	.053
	3 - 5 ta	.187	15	.165	.890	15	.068

➤ Uji Homogenitas Levene ALP Alkohol

Test of Homogeneity of Variance					
		Levene Statistic	df1	df2	Sig.
Hasil ALP	Based on Mean	.997	2	42	.377
	Based on Median	.624	2	42	.541
	Based on Median and with adjusted df	.624	2	32.328	.542
	Based on trimmed mean	.871	2	42	.426

➤ Uji Homogenitas Levene GGT Alkohol

Test of Homogeneity of Variance					
		Levene Statistic	df1	df2	Sig.
Hasil GGT	Based on Mean	24.997	2	42	.000
	Based on Median	6.763	2	42	.003
	Based on Median and with adjusted df	6.763	2	16.095	.007
	Based on trimmed mean	22.794	2	42	.000

➤ Uji One Way Anova ALP alkohol

ANOVA					
Hasil ALP					
	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	74.533	2	37.267	.021	.979
Within Groups	73371.467	42	1746.940		
Total	73446.000	44			

➤ Uji Kruskal-Wallis GGT Alkohol

Kruskal-Wallis Test

Ranks			
	Lama Konsumsi	N	Mean Rank
Hasil GGT	1 - <3	15	11.10
	3 - 5	15	26.37
	>5	15	31.53
	Total	45	

Test Statistics^{a,b}

Hasil GGT	
Kruskal-Wallis H	19.695
df	2
Asymp. Sig.	.000

➤ Uji Mann-Whitney GGT Alkohol

Mann-Whitney Test

Ranks				
	Lama Konsumsi	N	Mean Rank	Sum of Ranks
Hasil GGT	1 - <3	15	9.73	146.00
	3 - 5	15	21.27	319.00
	Total	30		

Test Statistics^a

Hasil GGT	
Mann-Whitney U	26.000
Wilcoxon W	146.000
Z	-3.603
Asymp. Sig. (2-tailed)	.000
Exact Sig. [2*(1-tailed Sig.)]	.000 ^b

Mann-Whitney Test

Ranks				
	Lama Konsumsi	N	Mean Rank	Sum of Ranks
Hasil GGT	1 - <3	15	9.37	140.50
	>5	15	21.63	324.50
	Total	30		

Test Statistics^a

Hasil GGT	
Mann-Whitney U	20.500
Wilcoxon W	140.500
Z	-3.825
Asymp. Sig. (2-tailed)	.000
Exact Sig. [2*(1-tailed Sig.)]	.000 ^b

Mann-Whitney Test

Ranks				
	Lama Konsumsi	N	Mean Rank	Sum of Ranks
Hasil GGT	3 - 5	15	13.10	196.50
	>5	15	17.90	268.50
	Total	30		

Test Statistics^a

Hasil GGT	
Mann-Whitney U	76.500
Wilcoxon W	196.500
Z	-1.495
Asymp. Sig. (2-tailed)	.135
Exact Sig. [2*(1-tailed Sig.)]	.137 ^b

➤ Uji Normalitas ALP dan GGT Perokok

Tests of Normality							
		Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Lama Konsumsi	Statistic	df	Sig.	Statistic	df	Sig.
ALP	5-<10 tahun	.154	20	.200 [*]	.911	20	.066
	10-15 tahun	.204	10	.200 [*]	.899	10	.213
	>15 tahun	.146	15	.200 [*]	.933	15	.297
GGT	5-<10 tahun	.256	20	.001	.779	20	.000
	10-15 tahun	.182	10	.200 [*]	.903	10	.239
	>15 tahun	.250	15	.012	.763	15	.001

➤ Uji Homogenitas ALP Perokok

Test of Homogeneity of Variances					
		Levene Statistic	df1	df2	Sig.
ALP	Based on Mean	1.751	2	42	.186
	Based on Median	1.259	2	42	.294
	Based on Median and with adjusted df	1.259	2	37.531	.296
	Based on trimmed mean	1.584	2	42	.217

➤ Uji Homogenitas GGT Perokok

Test of Homogeneity of Variance					
		Levene Statistic	df1	df2	Sig.
GGT	Based on Mean	16.639	2	42	.000
	Based on Median	7.240	2	42	.002
	Based on Median and with adjusted df	7.240	2	19.241	.005
	Based on trimmed mean	14.624	2	42	.000

➤ Uji One Way Anova ALP Perokok

ANOVA					
		Sum of Squares	df	Mean Square	Sig.
ALP	Between Groups	3149.867	2	1574.933	.941
	Within Groups	70296.133	42	1673.717	
	Total	73446.000	44		

➤ Uji Kruskal-Wallis GGT Perokok

Kruskal-Wallis Test

Ranks			
	Lama Konsumsi	N	Mean Rank
GGT	5-<10 tahun	20	16.05
	10-15 tahun	10	28.60
	>15 tahun	15	28.53
	Total	45	

Test Statistics^{a,b}

GGT	
Kruskal-Wallis H	10.113
df	2
Asymp. Sig.	.006

➤ Uji Mann-Whitney GGT Perokok

Mann-Whitney Test

Ranks				
	Lama Konsumsi	N	Mean Rank	Sum of Ranks
GGT	5-<10 tahun	20	12.55	251.00
	10-15 tahun	10	21.40	214.00
	Total	30		

Test Statistics^a

GGT	
Mann-Whitney U	41.000
Wilcoxon W	251.000
Z	-2.605
Asymp. Sig. (2-tailed)	.009
Exact Sig. [2*(1-tailed Sig.)]	.008 ^b

Mann-Whitney Test

Ranks				
	Lama Konsumsi	N	Mean Rank	Sum of Ranks
GGT	5-<10 tahun	20	14.00	280.00
	>15 tahun	15	23.33	350.00
	Total	35		

Test Statistics^a

GGT	
Mann-Whitney U	70.000
Wilcoxon W	280.000
Z	-2.673
Asymp. Sig. (2-tailed)	.008
Exact Sig. [2*(1-tailed Sig.)]	.007 ^b

Mann-Whitney Test

Ranks				
	Lama Konsumsi	N	Mean Rank	Sum of Ranks
GGT	10-15 tahun	10	12.70	127.00
	>15 tahun	15	13.20	198.00
	Total	25		

Test Statistics^a

	GGT
Mann-Whitney U	72.000
Wilcoxon W	127.000
Z	-.167
Asymp. Sig. (2-tailed)	.868
Exact Sig. [2*(1-tailed Sig.)]	.892 ^b

➤ Uji Rerata GGT Alkohol

1- <3 ta	Mean		16.27	1.049
	95% Confidence Interval for Mean	Lower Bound	14.02	
		Upper Bound	18.52	
	5% Trimmed Mean		16.02	
	Median		16.00	
	Variance		16.495	
	Std. Deviation		4.061	

3 - 5 ta	Mean		26.67	2.390
	95% Confidence Interval for Mean	Lower Bound	21.54	
		Upper Bound	31.79	
	5% Trimmed Mean		26.35	
	Median		23.00	
	Variance		85.667	
	Std. Deviation		9.256	

Lama Konsumsi			Statistic	Std. Error
Hasil	>5 tahun	Mean	44.20	7.840
		95% Confidence Interval for Mean	Lower Bound	27.38
			Upper Bound	61.02
		5% Trimmed Mean	43.33	
		Median	29.00	
		Variance	922.029	
		Std. Deviation	30.365	

➤ Uji Rerata ALP Alkohol

1- <3 ta	Mean		175.33	10.244
	95% Confidence Interval for Mean	Lower Bound	153.36	
		Upper Bound	197.30	
	5% Trimmed Mean		172.48	
	Median		171.00	
	Variance		1573.952	
	Std. Deviation		39.673	

3 - 5 ta	Mean		174.87	13.503
	95% Confidence Interval for Mean	Lower Bound	145.90	
		Upper Bound	203.83	
	5% Trimmed Mean		171.30	
	Median		161.00	
	Variance		2735.124	
	Std. Deviation		52.298	

LAMA_KONSUMSI			Statistic	Std. Error
HASIL	>5 tahun	Mean	177.80	7.881
		95% Confidence Interval for Mean	Lower Bound	160.90
			Upper Bound	194.70
		5% Trimmed Mean		178.11
		Median		175.00
		Variance		931.743
		Std. Deviation		30.524

➤ Uji Rerata ALP Perokok

Lama Konsumsi			Statistic	Std. Error
ALP	5-<10 tahun	Mean	169.200	8.6449
		95% Confidence Interval for Mean	Lower Bound	151.106
			Upper Bound	187.294
		5% Trimmed Mean		166.111
		Median		160.500
		Variance		1494.695
		Std. Deviation		38.6613

10-15 tahun	Mean		172.000	8.6346
	95% Confidence Interval for Mean	Lower Bound	152.467	
		Upper Bound	191.533	
	5% Trimmed Mean		170.556	
	Median		170.000	
	Variance		745.556	
	Std. Deviation		27.3049	

	>15 tahun	Mean		187.733	12.9444
		95% Confidence Interval for Mean	Lower Bound	159.970	
			Upper Bound	215.496	
		5% Trimmed Mean		184.870	
		Median		177.000	
		Variance		2513.352	
		Std. Deviation		50.1333	

➤ Uji Rerata GGT Perokok

GGT	5-<10 tahun	Mean		20.150	2.1353
		95% Confidence Interval for Mean	Lower Bound	15.681	
			Upper Bound	24.619	
		5% Trimmed Mean		19.056	
		Median		17.000	
		Variance		91.187	
		Std. Deviation		9.5492	

	10-15 tahun	Mean		26.900	2.2531
		95% Confidence Interval for Mean	Lower Bound	21.803	
			Upper Bound	31.997	
		5% Trimmed Mean		26.556	
		Median		25.000	
		Variance		50.767	
		Std. Deviation		7.1251	

	>15 tahun	Mean		42.333	8.1215
		95% Confidence Interval for Mean	Lower Bound	24.914	
			Upper Bound	59.752	
		5% Trimmed Mean		41.259	
		Median		29.000	
		Variance		989.381	
		Std. Deviation		31.4544	