

Descriptives

		Metode		Statistic	Std. Error
Hasil	Indirect Na	Mean		136.8000	.63888
		95% Confidence Interval for Mean	Lower Bound	135.5161	
			Upper Bound	138.0839	
		5% Trimmed Mean		136.6333	
		Median		137.0000	
		Variance		20.408	
		Std. Deviation		4.51754	
		Minimum		128.00	
		Maximum		152.00	
		Range		24.00	
		Interquartile Range		5.00	
		Skewness		.557	.337
		Kurtosis		1.586	.662
	Direct Na	Mean		136.8000	.58484
		95% Confidence Interval for Mean	Lower Bound	135.6247	
			Upper Bound	137.9753	
		5% Trimmed Mean		136.6111	
		Median		137.0000	
		Variance		17.102	
		Std. Deviation		4.13546	
		Minimum		130.00	
		Maximum		150.00	
		Range		20.00	
		Interquartile Range		5.25	
		Skewness		.680	.337
		Kurtosis		.986	.662

Tests of Normality

		Kolmogorov-Smirnov ^a			Shapiro-Wilk		
		Statistic	df	Sig.	Statistic	df	Sig.
Hasil	Indirect Na	.118	50	.081	.958	50	.074
	Direct Na	.111	50	.172	.958	50	.075

a. Lilliefors Significance Correction

Paired Samples Test

		Paired Differences				Significance	
		95% Confidence Interval of the Difference					
		Upper	t	df	One-Sided p	Two-Sided p	
Pair 1	Indirect Na - Direct Na	.64450	.000	49	.500	1.000	

Descriptives

Metode		Statistic		Std. Error
Hasil	Indirect K	Mean	3.8484	.06494
		95% Confidence Interval for Mean	Lower Bound	3.7179
			Upper Bound	3.9789
		5% Trimmed Mean	3.8363	
		Median	3.7000	
		Variance	.211	
		Std. Deviation	.45919	
		Minimum	3.07	
		Maximum	4.93	
		Range	1.86	
		Interquartile Range	.67	
		Skewness	.585	.337
		Kurtosis	-.667	.662
	Direct K	Mean	3.7938	.06214
		95% Confidence Interval for Mean	Lower Bound	3.6689
			Upper Bound	3.9187
		5% Trimmed Mean	3.7813	
		Median	3.6250	
		Variance	.193	
		Std. Deviation	.43942	
		Minimum	3.11	
		Maximum	4.84	
		Range	1.73	
		Interquartile Range	.63	
		Skewness	.617	.337
		Kurtosis	-.665	.662

Tests of Normality

Metode

Kolmogorov-Smirnov^a

Shapiro-Wilk

		Statistic	df	Sig.	Statistic	df	Sig.
Hasil	Indirect K	.147	50	.009	.935	50	.008
	Direct K	.162	50	.002	.928	50	.005

a. Lilliefors Significance Correction

Test Statistics^a

	Direct K - Indirect K
Z	-4.501 ^b
Asymp. Sig. (2-tailed)	<.001

a. Wilcoxon Signed Ranks Test

b. Based on positive ranks.

Descriptives

	Metode		Statistic	Std. Error
Hasil	Indirect CI	Mean	103.5600	.74951
		95% Confidence Interval for Mean	Lower Bound	102.0538
			Upper Bound	105.0662
		5% Trimmed Mean	103.4444	
		Median	104.0000	
		Variance	28.088	
		Std. Deviation	5.29983	
		Minimum	94.00	
		Maximum	119.00	
		Range	25.00	
		Interquartile Range	7.25	
		Skewness	.235	.337
		Kurtosis	.117	.662
	Direct CI	Mean	102.9000	.88167
		95% Confidence Interval for Mean	Lower Bound	101.1282
			Upper Bound	104.6718
		5% Trimmed Mean	102.8000	
		Median	102.5000	
		Variance	38.867	
		Std. Deviation	6.23437	
		Minimum	90.00	
		Maximum	122.00	
		Range	32.00	
		Interquartile Range	10.25	
		Skewness	.407	.337
		Kurtosis	.380	.662

Tests of Normality							
	Metode	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
		Statistic	df	Sig.	Statistic	df	Sig.
Hasil	Indirect CI	.064	50	.200 [*]	.974	50	.342
	Direct CI	.080	50	.200 [*]	.970	50	.227

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

Paired Samples Test						
		Paired Differences			Significance	
		95% Confidence Interval of the Difference				
		Upper	t	df	One-Sided p	Two-Sided p
Pair 1	Indirect CI - Direct CI	1.51087	1.559	49	.063	.125