

2. Hasil Rekapitulasi Data Penelitian

Kode Sampel	Tanggal Pengambilan	waktu lama simpan	Hasil LAMP	Hasil PCR
S01	15 Mei 2026	192 Jam	Positif	1
S02	15 Mei 2026	192 Jam	Negatif	1
S03	15 Mei 2026	192 Jam	Positif	1
S04	15 Mei 2026	192 Jam	Positif	1
S05	15 Mei 2026	192 jam	Positif	1
S06	22 Mei 2026	168 Jam	Positif	1
S07	22 Mei 2026	168 jam	Positif	1
S08	22 Mei 2026	168 Jam	Positif	1
S09	22 Mei 2026	168 Jam	Positif	1
S10	22 Mei 2026	168 Jam	Positif	1
S11	05 Juni 2026	144 Jam	Positif	1
S12	05 Juni 2026	144 Jam	Positif	1
S13	05 Juni 2026	144 Jam	Positif	1
S14	05 Juni 2026	144 Jam	Positif	1
S15	05 Juni 2026	144 Jam	Positif	1
S16	07 Juni 2026	120 Jam	Positif	1
S17	07 Juni 2026	120 Jam	Positif	1
S18	07 Juni 2026	120 Jam	Positif	1
S19	07 Juni 2026	120 Jam	Positif	1
S20	07 Juni 2026	120 Jam	Positif	1
S21	08 Juni 2026	96 Jam	Positif	1
S22	08 Juni 2026	96 Jam	Positif	1
S23	08 Juni 2026	96 Jam	Positif	1
S24	08 Juni 2026	96 Jam	Negatif	1
S25	08 Juni 2026	96 Jam	Positif	1
S26	09 Juni 2026	72 Jam	Positif	1
S27	09 Juni 2026	72 Jam	Positif	2
S28	09 Juni 2026	72 Jam	Negatif	1
S29	09 Juni 2026	72 Jam	Positif	1
S30	09 Juni 2026	72 Jam	Negatif	1

3. Hasil Uji data Statistik SPSS versi 25

a. Waktu Lama Simpan

Frequency	Percent	Valid Percent	Cumulative Percent	
72 Jam	5	16,7	16,7	16,7
96 Jam	5	16,7	16,7	33,3
120 Jam	5	16,7	16,7	50
144 Jam	5	16,7	16,7	66,7
168 Jam	5	16,7	16,7	83,3
192 Jam	5	16,7	16,7	100
Total	30	100	100	

b. Uji Frekuensi Hasil pemeriksaan RT-LAMP

Hasil LAMP				
	Frequency	Percent	Valid Percent	Cumulative Percent
Valid	negatif	4	13,3	13,3
	positif	26	86,7	100,0
	Total	30	100,0	

c. Uji Frekuensi Hasil Pemeriksaan RT PCR Konvensional

Hasil PCR				
	Frequency	Percent	Valid Percent	Cumulative Percent
Valid	terdegradasi	29	96,7	96,7
	positif	1	3,3	100,0
	Total	30	100,0	

d. Tabulasi silang hasil Pemeriksaan RT-LAMP dan RT-PCR Konvensional

Hasil LAMP & Hasil PCR		
Hasil LAMP	Hasil PCR	
	terdegradasi	positif
negatif	4	0
positif	25	1

e. Uji McNemar Hasil pemeriksaan RT-LAMP dan RT-PCR Konvensional

Case Processing Summary						
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Hasil_LAMP * Hasil_PCR	30	100,0%	0	0,0%	30	100,0%

Chi-Square Test

Chi-Square Tests			
Value	Exact Sig. (2-sided)	Exact Sig. (1-sided)	Point Probability
McNemar Test	.000 ^a	.000 ^a	.000 ^a
N of Valid Cases 30			
a. Binomial distribution used.			

f. Waktu Lama Simpan *Hasil LAMP Crossabulation

Lama_Simpan * Hasil_LAMP Crosstabulation				
		Count		Total
		Hasil_LAMP positif	Hasil_LAMP negatif	
Lama_Simpan	72 Jam	3	2	5
	96 Jam	4	1	5
	120 Jam	5	0	5
	144 Jam	5	0	5
	168 Jam	5	0	5
	192 Jam	4	1	5
Total		26	4	30

g. Chi-Square Test

Chi-Square Tests								
Value	df	Asymptotic Significance (2-sided)	Monte Carlo Sig. (2-sided)			Monte Carlo Sig. (1-sided)		
			Significance	99% Confidence Interval		Significance	99% Confidence Interval	
				Lower Bound	Upper Bound		Lower Bound	Upper Bound
Pearson Chi-Square	5.769 ^a	5	0,329	.660 ^b	0,648	0,672		
Likelihood Ratio	6,822	5	0,234	.660 ^b	0,648	0,672		
Fisher's Exact Test	4,739			.660 ^b	0,648	0,672		
Linear-by- Linear Association	1.530 ^c	1	0,216	.299 ^b	0,287	0,311	.150 ^b	0,141 0,159
N of Valid Cases	30							
a. 12 cells (100.0%) have expected count less than 5. The minimum expected count is .67. b. Based on 10000 sampled tables with starting seed 2000000. c. The standardized statistic is -1.237.								