

- **Poster**

**Pengetahuan Sebelum dan Setelah Pendidikan Kesehatan Media Poster Crosstabulation**

			Pengetahuan Setelah Pendidikan Kesehatan Media Poster		Total
			Baik	Cukup	
Pengetahuan Sebelum Pendidikan Kesehatan Media Poster	Cukup	Count	20	2	22
		% of Total	50.0%	5.0%	55.0%
	Kurang	Count	10	8	18
		% of Total	25.0%	20.0%	45.0%
Total		Count	30	10	40
		% of Total	75.0%	25.0%	100.0%

**Case Processing Summary**

Kode		Cases					
		Valid		Missing		Total	
		N	Percent	N	Percent	N	Percent
Nilai	PreTest	40	100.0%	0	0.0%	40	100.0%
	PostTest	40	100.0%	0	0.0%	40	100.0%

**Descriptives**

Kode			Statistic	Std. Error
Nilai	PreTest	Mean	50.5250	1.56852
		95% Confidence Interval for Mean	Lower Bound	47.3524
			Upper Bound	53.6976
		5% Trimmed Mean	50.6389	
		Median	53.0000	
		Variance	98.410	
		Std. Deviation	9.92016	
		Minimum	33.00	
		Maximum	66.00	
		Range	33.00	
		Interquartile Range	20.00	
		Skewness	-.041	.374
		Kurtosis	-.998	.733
	PostTest	Mean	81.4000	1.30718
		95% Confidence Interval for Mean	Lower Bound	78.7560
			Upper Bound	84.0440

5% Trimmed Mean	81.2222	
Median	80.0000	
Variance	68.349	
Std. Deviation	8.26733	
Minimum	66.00	
Maximum	100.00	
Range	34.00	
Interquartile Range	11.25	
Skewness	.698	.374
Kurtosis	.824	.733

#### Tests of Normality

Kode	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Nilai PreTest	.149	40	.026	.930	40	.016
PostTest	.217	40	.000	.877	40	.000

a. Lilliefors Significance Correction

Dikarenkan nilai sig. pada kolom Shapiro-Wilk dibawah 0.05 maka dapat disimpulkan data tidak berdistribusi normal, selanjutnya dilakukan uji mann whitney

#### Ranks

Kode	N	Mean Rank	Sum of Ranks
Nilai PreTest	40	20.63	825.00
PostTest	40	60.38	2415.00
Total	80		

#### Test Statistics<sup>a</sup>

	Nilai
Mann-Whitney U	5.000
Wilcoxon W	825.000
Z	-7.712
Asymp. Sig. (2-tailed)	.000

a. Grouping Variable: Kode

Dikarenkan nilai sig. dibawah 0.05 maka dapat disimpulkan terdapat perbedaan yang sig. antara nilai siswi pada saat pre test dan post test.

- **Demonstrasi**

**Pengetahuan Sebelum dan Setelah Pendidikan Kesehatan Demonstrasi Crosstabulation**

			Pengetahuan Setelah Pendidikan Kesehatan Demonstrasi		Total
			Baik	Cukup	
Pengetahuan Sebelum Pendidikan Kesehatan Demonstrasi	Cukup	Count	3	0	3
		% of Total	7.5%	0.0%	7.5%
	Kurang	Count	31	6	37
		% of Total	77.5%	15.0%	92.5%
Total		Count	34	6	40
		% of Total	85.0%	15.0%	100.0%

**Case Processing Summary**

		Cases					
		Valid		Missing		Total	
		N	Percent	N	Percent	N	Percent
Nilai	PreTest	40	100.0%	0	0.0%	40	100.0%
	PostTest	40	100.0%	0	0.0%	40	100.0%

**Descriptives**

		Kode	Statistic	Std. Error
Nilai	PreTest	Mean	40.4750	1.57423
		95% Confidence Interval for Mean	Lower Bound 37.2908	
			Upper Bound 43.6592	
		5% Trimmed Mean	40.3611	
		Median	40.0000	
		Variance	99.128	
		Std. Deviation	9.95628	
		Minimum	20.00	
		Maximum	60.00	
		Range	40.00	
		Interquartile Range	13.00	
		Skewness	.082	.374
		Kurtosis	-.383	.733
	PostTest	Mean	86.5500	1.58719
		95% Confidence Interval for Mean	Lower Bound 83.3396	
			Upper Bound 89.7604	

5% Trimmed Mean	86.5556	
Median	80.0000	
Variance	100.767	
Std. Deviation	10.03826	
Minimum	73.00	
Maximum	100.00	
Range	27.00	
Interquartile Range	18.25	
Skewness	.188	.374
Kurtosis	-1.558	.733

#### Tests of Normality

Kode	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Nilai PreTest	.139	40	.048	.948	40	.066
PostTest	.293	40	.000	.826	40	.000

a. Lilliefors Significance Correction

Dikarenkan nilai sig. Post test pada kolom Shapiro-Wilk dibawah 0.05 maka dapat disimpulkan data tidak berdistribusi normal, selanjutnya dilakukan uji mann whitney

#### Ranks

	Kode	N	Mean Rank	Sum of Ranks
Nilai	PreTest	40	20.50	820.00
	PostTest	40	60.50	2420.00
	Total	80		

#### Test Statistics<sup>a</sup>

	Nilai
Mann-Whitney U	.000
Wilcoxon W	820.000
Z	-7.763
Asymp. Sig. (2-tailed)	.000

a. Grouping Variable: Kode

Dikarenkan nilai sig. dibawah 0.05 maka dapat disimpulkan terdapat perbedaan yang sig. antara nilai siswi pada saat pre test dan post test