

CROSSTABS

/TABLES=Kepatuhan BY Gender

/FORMAT=AVALUE TABLES

/STATISTICS=CHISQ CORR

/CELLS=COUNT EXPECTED COLUMN

/COUNT ROUND CELL.

Crosstabs

Notes

Output Created		14-JUL-2024 08:35:36
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	50
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=Kepatuhan BY Gender /FORMAT=AVALUE TABLES /STATISTICS=CHISQ CORR /CELLS=COUNT EXPECTED COLUMN /COUNT ROUND CELL.
Resources	Processor Time	00:00:00,00
	Elapsed Time	00:00:00,05
	Dimensions Requested	2
	Cells Available	524245

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
Hasil Konversi * Jenis Kelamin	50	100.0%	0	0.0%	50	100.0%

Hasil Konversi * Jenis Kelamin Crosstabulation

			Jenis Kelamin		Total
			Laki-laki	Perempuan	
Hasil Konversi	Patuh	Count	29	17	46
		Expected Count	30.4	15.6	46.0
		% within Jenis Kelamin	87.9%	100.0%	92.0%
	Tidak Patuh	Count	4	0	4
		Expected Count	2.6	1.4	4.0
		% within Jenis Kelamin	12.1%	0.0%	8.0%
Total	Count		33	17	50
	Expected Count		33.0	17.0	50.0
	% within Jenis Kelamin		100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2.240 ^a	1	.134		
Continuity Correction ^b	.896	1	.344		
Likelihood Ratio	3.501	1	.061		
Fisher's Exact Test				.285	.178
Linear-by-Linear Association	2.195	1	.138		
N of Valid Cases	50				

a. 2 cells (50,0%) have expected count less than 5. The minimum expected count is 1,36.

b. Computed only for a 2x2 table

CROSSTABS

/TABLES=Kepatuhan BY Usia

/FORMAT=AVALUE TABLES

/STATISTICS=CHISQ

/CELLS=COUNT EXPECTED COLUMN

/COUNT ROUND CELL.

Crosstabs

Notes

Output Created		16-JUL-2024 20:10:38
Comments		
Input	Data	C: \Users\Arryl\OneDrive\Documents\Document Papa\Winarsih\Uji Sta.sav
	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	50
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=Kepatuhan BY Usia /FORMAT=AVALUE TABLES /STATISTICS=CHISQ /CELLS=COUNT EXPECTED COLUMN /COUNT ROUND CELL.
Resources	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,08
	Dimensions Requested	2
	Cells Available	524245

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
Kepatuhan Pengobatan * Usia pasien	50	100.0%	0	0.0%	50	100.0%

Kepatuhan Pengobatan * Usia pasien Crosstabulation

			Usia pasien		
			10-18	19-59	>60
Kepatuhan Pengobatan	Patuh	Count	1	41	4
		Expected Count	.9	40.5	4.6
		% within Usia pasien	100.0%	93.2%	80.0%
	Tidak Patuh	Count	0	3	1
		Expected Count	.1	3.5	.4
		% within Usia pasien	0.0%	6.8%	20.0%
Total	Count		1	44	5
	Expected Count		1.0	44.0	5.0
	% within Usia pasien		100.0%	100.0%	100.0%

Kepatuhan Pengobatan * Usia pasien Crosstabulation

			Total
Kepatuhan Pengobatan	Patuh	Count	46
		Expected Count	46.0
		% within Usia pasien	92.0%
	Tidak Patuh	Count	4
		Expected Count	4.0
		% within Usia pasien	8.0%
Total	Count		50
	Expected Count		50.0
	% within Usia pasien		100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)
Pearson Chi-Square	1.149 ^a	2	.563
Likelihood Ratio	.969	2	.616
Linear-by-Linear Association	1.084	1	.298
N of Valid Cases	50		

a. 5 cells (83,3%) have expected count less than 5. The minimum expected count is ,08.

CROSSTABS

/TABLES=Kepatuhan BY Kesembuhan

/FORMAT=AVALUE TABLES

/STATISTICS=CHISQ

/CELLS=COUNT EXPECTED ROW

/COUNT ROUND CELL.

Crosstabs

Notes

Output Created		20-JUL-2024 15:50:50
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	50
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=Kepatuhan BY Kesembuhan /FORMAT=AVALUE TABLES /STATISTICS=CHISQ /CELLS=COUNT EXPECTED ROW /COUNT ROUND CELL.
Resources	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,43
	Dimensions Requested	2
	Cells Available	524245

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
Kepatuhan * Kesembuhan	50	100.0%	0	0.0%	50	100.0%

Kepatuhan * Kesembuhan Crosstabulation

			Kesembuhan		Total
			Sembuh	Tidak sembuh	
Kepatuhan	Patuh	Count	46	0	46
		Expected Count	42.3	3.7	46.0
		% within Kepatuhan	100.0%	0.0%	100.0%
	Tidak Patuh	Count	0	4	4
		Expected Count	3.7	.3	4.0
		% within Kepatuhan	0.0%	100.0%	100.0%
Total	Count		46	4	50
	Expected Count		46.0	4.0	50.0
	% within Kepatuhan		92.0%	8.0%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	50.000 ^a	1	.000		
Continuity Correction ^b	37.336	1	.000		
Likelihood Ratio	27.877	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	49.000	1	.000		
N of Valid Cases	50				

a. 3 cells (75.0%) have expected count less than 5. The minimum expected count is .32.

b. Computed only for a 2x2 table