

Distribusi Frekuensi Jawaban Responden

	Statistics						
	N		Mean	Mode	Std. Deviation	Minimum	Maximum
	Valid	Missing					
X11	220	0	3.3864	3.00	.55788	1.00	4.00
X12	220	0	3.4500	4.00	.57517	1.00	4.00
X13	220	0	3.3955	3.00	.57575	2.00	4.00
X14	220	0	3.3545	3.00	.60570	1.00	4.00
X15	220	0	3.3909	3.00	.56690	1.00	4.00
X16	220	0	3.4909	4.00	.60054	1.00	4.00
X17	220	0	3.4455	3.00	.55041	2.00	4.00
X18	220	0	3.4136	3.00 ^a	.60951	1.00	4.00
X21	220	0	3.3818	3.00	.55693	1.00	4.00
X22	220	0	3.4091	3.00	.57807	1.00	4.00
X23	220	0	3.4136	3.00	.53788	2.00	4.00
X24	220	0	3.3545	3.00	.55864	1.00	4.00
X25	220	0	3.3273	3.00	.60604	1.00	4.00
X26	220	0	3.4136	3.00	.57877	1.00	4.00
Z1	220	0	3.4955	4.00	.55310	2.00	4.00
Z2	220	0	3.4909	4.00	.56931	2.00	4.00
Z3	220	0	3.5273	4.00	.56873	2.00	4.00
Z4	220	0	3.4682	4.00	.55219	2.00	4.00
Z5	220	0	3.5455	4.00	.59120	1.00	5.00
Z6	220	0	3.5364	4.00	.56822	1.00	4.00
Z7	220	0	3.5136	4.00	.55295	2.00	4.00
Z8	220	0	3.4500	4.00	.58306	2.00	4.00
Y1	220	0	3.5091	4.00	.53627	2.00	4.00
Y2	220	0	3.3500	3.00	.53229	1.00	4.00
Y3	220	0	3.4818	4.00	.57706	1.00	4.00
Y4	220	0	3.4773	4.00	.57690	1.00	4.00
Y5	220	0	3.4000	3.00	.55229	1.00	4.00
Y6	220	0	3.4227	3.00	.58006	1.00	4.00
Y7	220	0	3.5182	4.00	.56909	1.00	4.00
Y8	220	0	3.5409	4.00	.53478	2.00	4.00
Y9	220	0	3.5682	4.00	.53198	2.00	4.00
Y10	220	0	3.5818	4.00	.54700	1.00	4.00
Y11	220	0	3.5773	4.00	.55594	1.00	4.00
Y12	220	0	3.5864	4.00	.54630	1.00	4.00
Y13	220	0	3.5545	4.00	.55041	2.00	4.00
Y14	220	0	3.4273	3.00	.58065	1.00	4.00

a. Multiple modes exist. The smallest value is shown

X11

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	1	.5	.5	.5
	2.00	5	2.3	2.3	2.7
	3.00	122	55.5	55.5	58.2
	4.00	92	41.8	41.8	100.0
	Total	220	100.0	100.0	

X12

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	1	.5	.5	.5
	2.00	6	2.7	2.7	3.2
	3.00	106	48.2	48.2	51.4
	4.00	107	48.6	48.6	100.0
	Total	220	100.0	100.0	

X13

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	10	4.5	4.5	4.5
	3.00	113	51.4	51.4	55.9
	4.00	97	44.1	44.1	100.0
	Total	220	100.0	100.0	

X14

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	3	1.4	1.4	1.4
	2.00	6	2.7	2.7	4.1
	3.00	121	55.0	55.0	59.1
	4.00	90	40.9	40.9	100.0
	Total	220	100.0	100.0	

X15

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	1	.5	.5	.5
	2.00	6	2.7	2.7	3.2
	3.00	119	54.1	54.1	57.3
	4.00	94	42.7	42.7	100.0
	Total	220	100.0	100.0	

X16

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	1	.5	.5	.5
	2.00	9	4.1	4.1	4.5
	3.00	91	41.4	41.4	45.9
	4.00	119	54.1	54.1	100.0
	Total	220	100.0	100.0	

X17

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	6	2.7	2.7	2.7
	3.00	110	50.0	50.0	52.7
	4.00	104	47.3	47.3	100.0
	Total	220	100.0	100.0	

X18

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	1	.5	.5	.5
	2.00	11	5.0	5.0	5.5
	3.00	104	47.3	47.3	52.7
	4.00	104	47.3	47.3	100.0
	Total	220	100.0	100.0	

X21

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	1	.5	.5	.5
	2.00	5	2.3	2.3	2.7
	3.00	123	55.9	55.9	58.6
	4.00	91	41.4	41.4	100.0
	Total	220	100.0	100.0	

X22

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	1	.5	.5	.5
	2.00	7	3.2	3.2	3.6
	3.00	113	51.4	51.4	55.0
	4.00	99	45.0	45.0	100.0
	Total	220	100.0	100.0	

X23

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	5	2.3	2.3	2.3
	3.00	119	54.1	54.1	56.4
	4.00	96	43.6	43.6	100.0
	Total	220	100.0	100.0	

X24

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	1	.5	.5	.5
	2.00	6	2.7	2.7	3.2
	3.00	127	57.7	57.7	60.9
	4.00	86	39.1	39.1	100.0
	Total	220	100.0	100.0	

X25

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	3	1.4	1.4	1.4
	2.00	7	3.2	3.2	4.5
	3.00	125	56.8	56.8	61.4
	4.00	85	38.6	38.6	100.0
	Total	220	100.0	100.0	

X26

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	1	.5	.5	.5
	2.00	7	3.2	3.2	3.6
	3.00	112	50.9	50.9	54.5
	4.00	100	45.5	45.5	100.0
	Total	220	100.0	100.0	

Z1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	6	2.7	2.7	2.7
	3.00	99	45.0	45.0	47.7
	4.00	115	52.3	52.3	100.0
	Total	220	100.0	100.0	

Z2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	8	3.6	3.6	3.6
	3.00	96	43.6	43.6	47.3
	4.00	116	52.7	52.7	100.0
	Total	220	100.0	100.0	

Z3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	8	3.6	3.6	3.6
	3.00	88	40.0	40.0	43.6
	4.00	124	56.4	56.4	100.0
	Total	220	100.0	100.0	

Z4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	6	2.7	2.7	2.7
	3.00	105	47.7	47.7	50.5
	4.00	109	49.5	49.5	100.0
	Total	220	100.0	100.0	

Z5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	1	.5	.5	.5
	2.00	4	1.8	1.8	2.3
	3.00	93	42.3	42.3	44.5
	4.00	118	53.6	53.6	98.2
	5.00	4	1.8	1.8	100.0
	Total	220	100.0	100.0	

Z6

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	1	.5	.5	.5
	2.00	5	2.3	2.3	2.7
	3.00	89	40.5	40.5	43.2
	4.00	125	56.8	56.8	100.0
	Total	220	100.0	100.0	

Z7

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	6	2.7	2.7	2.7
	3.00	95	43.2	43.2	45.9
	4.00	119	54.1	54.1	100.0
	Total	220	100.0	100.0	

Z8

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	10	4.5	4.5	4.5
	3.00	101	45.9	45.9	50.5
	4.00	109	49.5	49.5	100.0
	Total	220	100.0	100.0	

Y1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	4	1.8	1.8	1.8
	3.00	100	45.5	45.5	47.3
	4.00	116	52.7	52.7	100.0
	Total	220	100.0	100.0	

Y2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	1	.5	.5	.5
	2.00	3	1.4	1.4	1.8
	3.00	134	60.9	60.9	62.7
	4.00	82	37.3	37.3	100.0
	Total	220	100.0	100.0	

Y3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	1	.5	.5	.5
	2.00	6	2.7	2.7	3.2
	3.00	99	45.0	45.0	48.2
	4.00	114	51.8	51.8	100.0
	Total	220	100.0	100.0	

Y4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	1	.5	.5	.5
	2.00	6	2.7	2.7	3.2
	3.00	100	45.5	45.5	48.6
	4.00	113	51.4	51.4	100.0
	Total	220	100.0	100.0	

Y5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	1	.5	.5	.5
	2.00	4	1.8	1.8	2.3
	3.00	121	55.0	55.0	57.3
	4.00	94	42.7	42.7	100.0
	Total	220	100.0	100.0	

Y6

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	2	.9	.9	.9
	2.00	4	1.8	1.8	2.7
	3.00	113	51.4	51.4	54.1
	4.00	101	45.9	45.9	100.0
	Total	220	100.0	100.0	

Y7

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	1	.5	.5	.5
	2.00	5	2.3	2.3	2.7
	3.00	93	42.3	42.3	45.0
	4.00	121	55.0	55.0	100.0
	Total	220	100.0	100.0	

Y8

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	4	1.8	1.8	1.8
	3.00	93	42.3	42.3	44.1
	4.00	123	55.9	55.9	100.0
	Total	220	100.0	100.0	

Y9

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	4	1.8	1.8	1.8
	3.00	87	39.5	39.5	41.4
	4.00	129	58.6	58.6	100.0
	Total	220	100.0	100.0	

Y10

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	1	.5	.5	.5
	2.00	3	1.4	1.4	1.8
	3.00	83	37.7	37.7	39.5
	4.00	133	60.5	60.5	100.0
	Total	220	100.0	100.0	

Y11

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	1	.5	.5	.5
	2.00	4	1.8	1.8	2.3
	3.00	82	37.3	37.3	39.5
	4.00	133	60.5	60.5	100.0
	Total	220	100.0	100.0	

Y12

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	1	.5	.5	.5
	2.00	3	1.4	1.4	1.8
	3.00	82	37.3	37.3	39.1
	4.00	134	60.9	60.9	100.0
	Total	220	100.0	100.0	

Y13

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	6	2.7	2.7	2.7
	3.00	86	39.1	39.1	41.8
	4.00	128	58.2	58.2	100.0
	Total	220	100.0	100.0	

Y14

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	2	.9	.9	.9
	2.00	4	1.8	1.8	2.7
	3.00	112	50.9	50.9	53.6
	4.00	102	46.4	46.4	100.0
	Total	220	100.0	100.0	