

Lampiran 2. Hasil uji statistik

1. Hasil rerata dari nilai hemoglobin, eritrosit dan trombosit

Descriptive Statistics					
	N	Minimum	Maximum	Mean	Std. Deviation
hb	31	10.7	18.1	13.506	1.4551
Eri	31	4.130000	6.020000	4.94677419	0.485286081
Trombo	31	38.000	342.000	138.12903	67.101784
Valid N (listwise)	31				

2. Hasil normalitas dari hemoglobin, eritrosit, dan trombosit

One-Sample Kolmogorov-Smirnov Test

	hb	Eri	Trombo
N	31	31	31
Normal Parameters ^{a,b}			
Mean	13.506	4.94677419	138.12903
Std. Deviation	1.4551	0.485286081	67.101784
Most Extreme Differences			
Absolute	0.135	0.143	0.154
Positive	0.135	0.143	0.154
Negative	-0.116	-0.076	-0.093
Test Statistic	0.135	0.143	0.154
Asymp. Sig. (2-tailed)	0.156 ^c	0.106 ^c	0.058 ^c

- a. Test distribution is Normal.
- b. Calculated from data.
- c. Lilliefors Significance Correction.

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
hb	0.135	31	0.156	0.930	31	0.044
Eri	0.143	31	0.106	0.972	31	0.581
Trombo	0.154	31	0.058	0.912	31	0.014

- a. Lilliefors Significance Correction

3. Hasil korelasi hemoglobin dan eritrosit

Correlations

			hb	Eri
Spearman's rho	hb	Correlation Coefficient	1.000	0.267
		Sig. (2-tailed)	.	0.146
		N	31	31
	Eri	Correlation Coefficient	0.267	1.000
		Sig. (2-tailed)	0.146	.
		N	31	31

4. Hasil korelasi hemoglobin dan trombosit

Correlations

			hb	Trombo
Spearman's rho	hb	Correlation Coefficient	1.000	0.048
		Sig. (2-tailed)	.	0.796
		N	31	31
	Trombo	Correlation Coefficient	0.048	1.000
		Sig. (2-tailed)	0.796	.
		N	31	31