

```

REGRESSION
/MISSING LISTWISE
/STATISTICS COEFF OUTS R ANOVA
/CRITERIA=PIN(.05) POUT(.10)
/NOORIGIN
/DEPENDENT PerkembanganUMKM
/METHOD=ENTER TeladanPimpinanBalasJasa SanksiHukuman
/SAVE RESID.

```

Regression

Notes

Output Created		05-JUN-2024 08:45:13
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	30
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax		REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT PerkembanganUMKM /METHOD=ENTER TeladanPimpinan BalasJasa SanksiHukuman /SAVE RESID.
Resources	Processor Time	00:00:00,05
	Elapsed Time	00:00:00,11
	Memory Required	3472 bytes
	Additional Memory Required for Residual Plots	0 bytes

Notes

Variables Created or Modified	RES_1	Unstandardized Residual
-------------------------------	-------	-------------------------

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Sanksi Hukuman (X3), Teladan Pimpinan (X1), Balas Jasa (X2) ^b	.	Enter

a. Dependent Variable: Perkembangan UMKM

b. All requested variables entered.

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.538 ^a	.289	.207	1.965

a. Predictors: (Constant), Sanksi Hukuman (X3), Teladan Pimpinan (X1), Balas Jasa (X2)

b. Dependent Variable: Perkembangan UMKM

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	40.854	3	13.618	3.528	.029 ^b
	Residual	100.346	26	3.859		
	Total	141.200	29			

a. Dependent Variable: Perkembangan UMKM

b. Predictors: (Constant), Sanksi Hukuman (X3), Teladan Pimpinan (X1), Balas Jasa (X2)

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	19.602	7.353		2.666	.013
	Teladan Pimpinan (X1)	.062	.278	.044	.223	.826
	Balas Jasa (X2)	.979	.373	.520	2.627	.014
	Sanksi Hukuman (X3)	-.155	.307	-.085	-.506	.617

a. Dependent Variable: Perkembangan UMKM

Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	33.30	37.72	35.40	1.187	30
Residual	-4.500	3.459	.000	1.860	30
Std. Predicted Value	-1.766	1.951	.000	1.000	30
Std. Residual	-2.291	1.761	.000	.947	30

a. Dependent Variable: Perkembangan UMKM

NPAR TESTS

/K-S(NORMAL)=RES_1
/MISSING ANALYSIS.

NPar Tests

Notes

Output Created		05-JUN-2024 08:45:39
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	30
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each test are based on all cases with valid data for the variable (s) used in that test.
Syntax		NPAR TESTS /K-S(NORMAL)=RES_1 /MISSING ANALYSIS.
Resources	Processor Time	00:00:00,05
	Elapsed Time	00:00:00,05
	Number of Cases Allowed ^a	786432

a. Based on availability of workspace memory.

One-Sample Kolmogorov-Smirnov Test

		Unstandardized Residual
N		30
Normal Parameters ^{a,b}	Mean	.0000000
	Std. Deviation	1.86016272
Most Extreme Differences	Absolute	.122
	Positive	.068
	Negative	-.122
Test Statistic		.122
Asymp. Sig. (2-tailed)		.200 ^{c,d}

a. Test distribution is Normal.

b. Calculated from data.

c. Lilliefors Significance Correction.

d. This is a lower bound of the true significance.

```
MEANS TABLES=PerkembanganUMKM BY TeladanPimpinanBalasJasa SanksiHukuman
/CELLS=MEAN COUNT STDDEV
/STATISTICS LINEARITY.
```

Means

Notes

Output Created		05-JUN-2024 08:46:20
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	30
Missing Value Handling	Definition of Missing	For each dependent variable in a table, user-defined missing values for the dependent and all grouping variables are treated as missing.
	Cases Used	Cases used for each table have no missing values in any independent variable, and not all dependent variables have missing values.
Syntax		MEANS TABLES=Perkembangan UMKM BY TeladanPimpinan BalasJasa SanksiHukuman /CELLS=MEAN COUNT STDDEV /STATISTICS ...
Resources	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,12

Case Processing Summary

	Included		Cases Excluded		Total	
	N	Percent	N	Percent	N	Percent
Perkembangan UMKM * Teladan Pimpinan (X1)	30	100.0%	0	0.0%	30	100.0%
Perkembangan UMKM * Balas Jasa (X2)	30	100.0%	0	0.0%	30	100.0%
Perkembangan UMKM * Sanksi Hukuman (X3)	30	100.0%	0	0.0%	30	100.0%

Perkembangan UMKM * Teladan Pimpinan (X1)

Report

Perkembangan UMKM

Teladan Pimpinan (X1)	Mean	N	Std. Deviation
14	34.00	1	.
15	34.00	1	.
16	34.75	8	1.389
17	33.67	3	3.215
18	36.13	8	2.295
19	36.83	6	2.639
20	35.00	3	1.000
Total	35.40	30	2.207

ANOVA Table

			Sum of Squares	df
Perkembangan UMKM * Teladan Pimpinan (X1)	Between Groups	(Combined)	33.325	6
		Linearity	13.972	1
		Deviation from Linearity	19.353	5
	Within Groups		107.875	23
	Total		141.200	29

ANOVA Table

			Mean Square	F
Perkembangan UMKM * Teladan Pimpinan (X1)	Between Groups	(Combined)	5.554	1.184
		Linearity	13.972	2.979
		Deviation from Linearity	3.871	.825
	Within Groups		4.690	
	Total			

ANOVA Table

			Sig.
Perkembangan UMKM * Teladan Pimpinan (X1)	Between Groups	(Combined)	.349
		Linearity	.098
		Deviation from Linearity	.545
	Within Groups		
	Total		

Measures of Association

	R	R Squared	Eta	Eta Squared
Perkembangan UMKM * Teladan Pimpinan (X1)	.315	.099	.486	.236

Perkembangan UMKM * Balas Jasa (X2)**Report**

Perkembangan UMKM

Balas Jasa (X2)	Mean	N	Std. Deviation
16	34.25	4	1.500
17	34.29	7	2.289
18	35.00	8	2.390
19	36.33	9	1.323
20	39.00	2	.000
Total	35.40	30	2.207

ANOVA Table

			Sum of Squares	df
Perkembangan UMKM * Balas Jasa (X2)	Between Groups	(Combined)	49.021	4
		Linearity	39.733	1
		Deviation from Linearity	9.288	3
	Within Groups		92.179	25
	Total		141.200	29

ANOVA Table

			Mean Square	F
Perkembangan UMKM * Balas Jasa (X2)	Between Groups	(Combined)	12.255	3.324
		Linearity	39.733	10.776
		Deviation from Linearity	3.096	.840
	Within Groups		3.687	
	Total			

ANOVA Table

			Sig.
Perkembangan UMKM * Balas Jasa (X2)	Between Groups	(Combined)	.026
		Linearity	.003
		Deviation from Linearity	.485
	Within Groups		
	Total		

Measures of Association

	R	R Squared	Eta	Eta Squared
Perkembangan UMKM * Balas Jasa (X2)	.530	.281	.589	.347

Perkembangan UMKM * Sanksi Hukuman (X3)**Report**

Perkembangan UMKM

Sanksi Hukuman (X3)	Mean	N	Std. Deviation
16	34.33	3	2.517
17	36.75	4	1.708
18	35.33	9	3.000
19	35.11	9	1.167
20	35.60	5	2.510
Total	35.40	30	2.207

ANOVA Table

			Sum of Squares	df
Perkembangan UMKM * Sanksi Hukuman (X3)	Between Groups	(Combined)	11.694	4
		Linearity	.004	1
		Deviation from Linearity	11.691	3
	Within Groups		129.506	25
	Total		141.200	29

ANOVA Table

			Mean Square	F
Perkembangan UMKM * Sanksi Hukuman (X3)	Between Groups	(Combined)	2.924	.564
		Linearity	.004	.001
		Deviation from Linearity	3.897	.752
	Within Groups		5.180	
	Total			

ANOVA Table

			Sig.
Perkembangan UMKM * Sanksi Hukuman (X3)	Between Groups	(Combined)	.691
		Linearity	.979
		Deviation from Linearity	.531
	Within Groups		
	Total		

Measures of Association

	R	R Squared	Eta	Eta Squared
Perkembangan UMKM * Sanksi Hukuman (X3)	.005	.000	.288	.083

REGRESSION

/MISSING LISTWISE

/STATISTICS COEFF OUTS BCOV R ANOVA COLLIN TOL

/CRITERIA=PIN(.05) POUT(.10)

/NOORIGIN

/DEPENDENT PerkembanganUMKM

/METHOD=ENTER TeladanPimpinanBalasJasa SanksiHukuman

/SAVE RESID.

Regression

Notes

Output Created		05-JUN-2024 08:47:17
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	30
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax		REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS BCOV R ANOVA COLLIN TOL /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT PerkembanganUMKM /METHOD=ENTER TeladanPimpinan BalasJasa SanksiHukuman /SAVE RESID.
Resources	Processor Time	00:00:00,11
	Elapsed Time	00:00:00,36
	Memory Required	3520 bytes
	Additional Memory Required for Residual Plots	0 bytes
Variables Created or Modified	RES_2	Unstandardized Residual

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Sanksi Hukuman (X3), Teladan Pimpinan (X1), Balas Jasa (X2) ^b	.	Enter

a. Dependent Variable: Perkembangan UMKM

b. All requested variables entered.

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.538 ^a	.289	.207	1.965

a. Predictors: (Constant), Sanksi Hukuman (X3), Teladan Pimpinan (X1), Balas Jasa (X2)

b. Dependent Variable: Perkembangan UMKM

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	40.854	3	13.618	3.528	.029 ^b
	Residual	100.346	26	3.859		
	Total	141.200	29			

a. Dependent Variable: Perkembangan UMKM

b. Predictors: (Constant), Sanksi Hukuman (X3), Teladan Pimpinan (X1), Balas Jasa (X2)

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	19.602	7.353		2.666	.013
	Teladan Pimpinan (X1)	.062	.278	.044	.223	.826
	Balas Jasa (X2)	.979	.373	.520	2.627	.014
	Sanksi Hukuman (X3)	-.155	.307	-.085	-.506	.617

Coefficients^a

Model		Collinearity Statistics	
		Tolerance	VIF
1	(Constant)		
	Teladan Pimpinan (X1)	.700	1.429
	Balas Jasa (X2)	.697	1.435
	Sanksi Hukuman (X3)	.969	1.032

a. Dependent Variable: Perkembangan UMKM

Coefficient Correlations^a

Model			Sanksi Hukuman (X3)	Teladan Pimpinan (X1)	Balas Jasa (X2)
1	Correlations	Sanksi Hukuman (X3)	1.000	-.074	-.096
		Teladan Pimpinan (X1)	-.074	1.000	-.533
		Balas Jasa (X2)	-.096	-.533	1.000
	Covariances	Sanksi Hukuman (X3)	.094	-.006	-.011
		Teladan Pimpinan (X1)	-.006	.077	-.055
		Balas Jasa (X2)	-.011	-.055	.139

a. Dependent Variable: Perkembangan UMKM

Collinearity Diagnostics^a

Model			Eigenvalue	Condition Index	Variance Proportions		
					(Constant)	Teladan Pimpinan (X1)	Balas Jasa (X2)
1	1		3.990	1.000	.00	.00	.00
	2		.006	26.818	.03	.50	.02
	3		.003	39.235	.07	.46	.51
	4		.002	50.327	.89	.04	.48

Collinearity Diagnostics^a

Variance ...		
Model	Dimension	Sanksi Hukuman (X3)
1	1	.00
	2	.27
	3	.38
	4	.35

a. Dependent Variable: Perkembangan UMKM

Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	33.30	37.72	35.40	1.187	30
Residual	-4.500	3.459	.000	1.860	30
Std. Predicted Value	-1.766	1.951	.000	1.000	30
Std. Residual	-2.291	1.761	.000	.947	30

a. Dependent Variable: Perkembangan UMKM

REGRESSION

/MISSING LISTWISE

/STATISTICS COEFF OUTS BCOV R ANOVA COLLIN TOL

/CRITERIA=PIN(.05) POUT(.10)

/NOORIGIN

/DEPENDENT PerkembanganUMKM

/METHOD=ENTER TeladanPimpinanBalasJasa SanksiHukuman

/SAVE RESID.

Regression

Notes

Output Created		05-JUN-2024 08:48:38
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	30
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax		REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS BCOV R ANOVA COLLIN TOL /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT PerkembanganUMKM /METHOD=ENTER TeladanPimpinan BalasJasa SanksiHukuman /SAVE RESID.
Resources	Processor Time	00:00:00,06
	Elapsed Time	00:00:00,50
	Memory Required	3552 bytes
	Additional Memory Required for Residual Plots	0 bytes
Variables Created or Modified	RES_3	Unstandardized Residual

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Sanksi Hukuman (X3), Teladan Pimpinan (X1), Balas Jasa (X2) ^b	.	Enter

a. Dependent Variable: Perkembangan UMKM

b. All requested variables entered.

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.538 ^a	.289	.207	1.965

a. Predictors: (Constant), Sanksi Hukuman (X3), Teladan Pimpinan (X1), Balas Jasa (X2)

b. Dependent Variable: Perkembangan UMKM

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	40.854	3	13.618	3.528	.029 ^b
	Residual	100.346	26	3.859		
	Total	141.200	29			

a. Dependent Variable: Perkembangan UMKM

b. Predictors: (Constant), Sanksi Hukuman (X3), Teladan Pimpinan (X1), Balas Jasa (X2)

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	19.602	7.353		2.666	.013
	Teladan Pimpinan (X1)	.062	.278	.044	.223	.826
	Balas Jasa (X2)	.979	.373	.520	2.627	.014
	Sanksi Hukuman (X3)	-.155	.307	-.085	-.506	.617

Coefficients^a

Model		Collinearity Statistics	
		Tolerance	VIF
1	(Constant)		
	Teladan Pimpinan (X1)	.700	1.429
	Balas Jasa (X2)	.697	1.435
	Sanksi Hukuman (X3)	.969	1.032

a. Dependent Variable: Perkembangan UMKM

Coefficient Correlations^a

Model			Sanksi Hukuman (X3)	Teladan Pimpinan (X1)	Balas Jasa (X2)
1	Correlations	Sanksi Hukuman (X3)	1.000	-.074	-.096
		Teladan Pimpinan (X1)	-.074	1.000	-.533
		Balas Jasa (X2)	-.096	-.533	1.000
	Covariances	Sanksi Hukuman (X3)	.094	-.006	-.011
		Teladan Pimpinan (X1)	-.006	.077	-.055
		Balas Jasa (X2)	-.011	-.055	.139

a. Dependent Variable: Perkembangan UMKM

Collinearity Diagnostics^a

				Variance Proportions		
Model	Dimension	Eigenvalue	Condition Index	(Constant)	Teladan Pimpinan (X1)	Balas Jasa (X2)
1	1	3.990	1.000	.00	.00	.00
	2	.006	26.818	.03	.50	.02
	3	.003	39.235	.07	.46	.51
	4	.002	50.327	.89	.04	.48

Collinearity Diagnostics^a

		Variance ...
Model	Dimension	Sanksi Hukuman (X3)
1	1	.00
	2	.27
	3	.38
	4	.35

a. Dependent Variable: Perkembangan UMKM

Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	33.30	37.72	35.40	1.187	30
Residual	-4.500	3.459	.000	1.860	30
Std. Predicted Value	-1.766	1.951	.000	1.000	30
Std. Residual	-2.291	1.761	.000	.947	30

a. Dependent Variable: Perkembangan UMKM

```
COMPUTE Abs_RES=ABS(RES_3).  
EXECUTE.  
REGRESSION  
  /MISSING LISTWISE  
  /STATISTICS COEFF OUTS BCOV R ANOVA COLLIN TOL  
  /CRITERIA=PIN(.05) POUT(.10)  
  /NOORIGIN  
  /DEPENDENT Abs_RES  
  /METHOD=ENTER TeladanPimpinanBalasJasa SanksiHukuman
```

Regression

Notes

Output Created		05-JUN-2024 08:49:49
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	30
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax		REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS BCOV R ANOVA COLLIN TOL /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Abs_RES /METHOD=ENTER TeladanPimpinan BalasJasa SanksiHukuman.
Resources	Processor Time	00:00:00,08
	Elapsed Time	00:00:00,10
	Memory Required	3616 bytes
	Additional Memory Required for Residual Plots	0 bytes

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Sanksi Hukuman (X3), Teladan Pimpinan (X1), Balas Jasa (X2) ^b	.	Enter

a. Dependent Variable: Abs_RES

b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.381 ^a	.145	.047	1.02733

a. Predictors: (Constant), Sanksi Hukuman (X3), Teladan Pimpinan (X1), Balas Jasa (X2)

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	4.669	3	1.556	1.475	.245 ^b
	Residual	27.441	26	1.055		
	Total	32.110	29			

a. Dependent Variable: Abs_RES

b. Predictors: (Constant), Sanksi Hukuman (X3), Teladan Pimpinan (X1), Balas Jasa (X2)

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	2.475	3.845		.644	.525
	Teladan Pimpinan (X1)	.269	.145	.401	1.849	.076
	Balas Jasa (X2)	-.354	.195	-.394	-1.815	.081
	Sanksi Hukuman (X3)	.036	.160	.042	.227	.822

Coefficients^a

Model		Collinearity Statistics	
		Tolerance	VIF
1	(Constant)		
	Teladan Pimpinan (X1)	.700	1.429
	Balas Jasa (X2)	.697	1.435
	Sanksi Hukuman (X3)	.969	1.032

a. Dependent Variable: Abs_RES

Coefficient Correlations^a

Model			Sanksi Hukuman (X3)	Teladan Pimpinan (X1)	Balas Jasa (X2)
1	Correlations	Sanksi Hukuman (X3)	1.000	-.074	-.096
		Teladan Pimpinan (X1)	-.074	1.000	-.533
		Balas Jasa (X2)	-.096	-.533	1.000
	Covariances	Sanksi Hukuman (X3)	.026	-.002	-.003
		Teladan Pimpinan (X1)	-.002	.021	-.015
		Balas Jasa (X2)	-.003	-.015	.038

a. Dependent Variable: Abs_RES

Collinearity Diagnostics^a

Model	Dimension	Eigenvalue	Condition Index	(Constant)	Variance Proportions	
					Teladan Pimpinan (X1)	Balas Jasa (X2)
1	1	3.990	1.000	.00	.00	.00
	2	.006	26.818	.03	.50	.02
	3	.003	39.235	.07	.46	.51
	4	.002	50.327	.89	.04	.48

Collinearity Diagnostics^a

Model	Dimension	Variance ...
		Sanksi Hukuman (X3)
1	1	.00
	2	.27
	3	.38
	4	.35

a. Dependent Variable: Abs_RES

REGRESSION

/MISSING LISTWISE

/STATISTICS COEFF OUTS R ANOVA

/CRITERIA=PIN(.05) POUT(.10)

/NOORIGIN

/DEPENDENT PerkembanganUMKM

/METHOD=ENTER TeladanPimpinanBalasJasa SanksiHukuman

/RESIDUALS DURBIN.

Regression

Notes

Output Created		05-JUN-2024 08:51:12
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	30
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax		REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT PerkembanganUMKM /METHOD=ENTER TeladanPimpinan BalasJasa SanksiHukuman /RESIDUALS DURBIN.
Resources	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,09
	Memory Required	3632 bytes
	Additional Memory Required for Residual Plots	0 bytes

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Sanksi Hukuman (X3), Teladan Pimpinan (X1), Balas Jasa (X2) ^b	.	Enter

a. Dependent Variable: Perkembangan UMKM

b. All requested variables entered.

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Durbin-Watson
1	.538 ^a	.289	.207	1.965	.833

a. Predictors: (Constant), Sanksi Hukuman (X3), Teladan Pimpinan (X1), Balas Jasa (X2)

b. Dependent Variable: Perkembangan UMKM

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	40.854	3	13.618	3.528	.029 ^b
	Residual	100.346	26	3.859		
	Total	141.200	29			

a. Dependent Variable: Perkembangan UMKM

b. Predictors: (Constant), Sanksi Hukuman (X3), Teladan Pimpinan (X1), Balas Jasa (X2)

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	19.602	7.353		2.666	.013
	Teladan Pimpinan (X1)	.062	.278	.044	.223	.826
	Balas Jasa (X2)	.979	.373	.520	2.627	.014
	Sanksi Hukuman (X3)	-.155	.307	-.085	-.506	.617

a. Dependent Variable: Perkembangan UMKM

Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	33.30	37.72	35.40	1.187	30
Residual	-4.500	3.459	.000	1.860	30
Std. Predicted Value	-1.766	1.951	.000	1.000	30
Std. Residual	-2.291	1.761	.000	.947	30

a. Dependent Variable: Perkembangan UMKM

REGRESSION

/MISSING LISTWISE

/STATISTICS COEFF OUTS R ANOVA

/CRITERIA=PIN(.05) POUT(.10)

/NOORIGIN

/DEPENDENT PerkembanganUMKM

/METHOD=ENTER TeladanPimpinanBalasJasa SanksiHukuman

Regression

Notes

Output Created		05-JUN-2024 08:55:39
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	30
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.

Notes

Syntax	REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT PerkembanganUMKM /METHOD=ENTER TeladanPimpinan BalasJasa SanksiHukuman.	
Resources	Processor Time	00:00:00,03
	Elapsed Time	00:00:00,08
	Memory Required	3616 bytes
	Additional Memory Required for Residual Plots	0 bytes

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Sanksi Hukuman (X3), Teladan Pimpinan (X1), Balas Jasa (X2) ^b	.	Enter

a. Dependent Variable: Perkembangan UMKM

b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.538 ^a	.289	.207	1.965

a. Predictors: (Constant), Sanksi Hukuman (X3), Teladan Pimpinan (X1), Balas Jasa (X2)

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	40.854	3	13.618	3.528	.029 ^b
	Residual	100.346	26	3.859		
	Total	141.200	29			

a. Dependent Variable: Perkembangan UMKM

b. Predictors: (Constant), Sanksi Hukuman (X3), Teladan Pimpinan (X1), Balas Jasa (X2)

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	19.602	7.353		2.666	.013
	Teladan Pimpinan (X1)	.062	.278	.044	.223	.826
	Balas Jasa (X2)	.979	.373	.520	2.627	.014
	Sanksi Hukuman (X3)	-.155	.307	-.085	-.506	.617

a. Dependent Variable: Perkembangan UMKM

REGRESSION

```
/MISSING LISTWISE  
/STATISTICS COEFF OUTS R ANOVA  
/CRITERIA=PIN(.05) POUT(.10)  
/NOORIGIN  
/DEPENDENT PerkembanganUMKM  
/METHOD=ENTER TeladanPimpinan
```

Regression

Notes

Output Created		05-JUN-2024 08:57:48
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	30
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax		REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT PerkembanganUMKM /METHOD=ENTER TeladanPimpinan.
Resources	Processor Time	00:00:00,03
	Elapsed Time	00:00:00,10
	Memory Required	2640 bytes
	Additional Memory Required for Residual Plots	0 bytes

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Teladan Pimpinan (X1) ^b	.	Enter

a. Dependent Variable: Perkembangan UMKM

b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.315 ^a	.099	.067	2.132

a. Predictors: (Constant), Teladan Pimpinan (X1)

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	13.972	1	13.972	3.075	.090 ^b
	Residual	127.228	28	4.544		
	Total	141.200	29			

a. Dependent Variable: Perkembangan UMKM

b. Predictors: (Constant), Teladan Pimpinan (X1)

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	27.647	4.438		6.230	.000
	Teladan Pimpinan (X1)	.442	.252	.315	1.754	.090

a. Dependent Variable: Perkembangan UMKM

REGRESSION

/MISSING LISTWISE

/STATISTICS COEFF OUTS R ANOVA

/CRITERIA=PIN(.05) POUT(.10)

/NOORIGIN

/DEPENDENT PerkembanganUMKM

/METHOD=ENTER BalasJasa.

Regression

Notes

Output Created		05-JUN-2024 08:59:24
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	30
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax		REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT PerkembanganUMKM /METHOD=ENTER BalasJasa.
Resources	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,08
	Memory Required	2640 bytes
	Additional Memory Required for Residual Plots	0 bytes

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Balas Jasa (X2) ^b	.	Enter

a. Dependent Variable: Perkembangan UMKM

b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.530 ^a	.281	.256	1.904

a. Predictors: (Constant), Balas Jasa (X2)

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	39.733	1	39.733	10.965	.003 ^b
	Residual	101.467	28	3.624		
	Total	141.200	29			

a. Dependent Variable: Perkembangan UMKM

b. Predictors: (Constant), Balas Jasa (X2)

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	17.497	5.418		3.229	.003
	Balas Jasa (X2)	.998	.301	.530	3.311	.003

a. Dependent Variable: Perkembangan UMKM

REGRESSION

/MISSING LISTWISE

/STATISTICS COEFF OUTS R ANOVA

/CRITERIA=PIN(.05) POUT(.10)

/NOORIGIN

/DEPENDENT PerkembanganUMKM

/METHOD=ENTER SanksiHukuman

Regression

Notes

Output Created		05-JUN-2024 09:00:16
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	30
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax		REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT PerkembanganUMKM /METHOD=ENTER SanksiHukuman.
Resources	Processor Time	00:00:00,03
	Elapsed Time	00:00:00,23
	Memory Required	2640 bytes
	Additional Memory Required for Residual Plots	0 bytes

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Sanksi Hukuman (X3) ^b	.	Enter

a. Dependent Variable: Perkembangan UMKM

b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.005 ^a	.000	-.036	2.246

a. Predictors: (Constant), Sanksi Hukuman (X3)

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	.004	1	.004	.001	.978 ^b
	Residual	141.196	28	5.043		
	Total	141.200	29			

a. Dependent Variable: Perkembangan UMKM

b. Predictors: (Constant), Sanksi Hukuman (X3)

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	35.227	6.332		5.564	.000
	Sanksi Hukuman (X3)	.009	.345	.005	.027	.978

a. Dependent Variable: Perkembangan UMKM