

## Hasil uji spss

### Kreatinin

#### Uji Normalitas

##### Tests of Normality

	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Kreatinin	.116	50	.092	.962	50	.110

a. Lilliefors Significance Correction

#### Uji Homogenitas

##### Test of Homogeneity of Variances

Kreatinin

Levene Statistic	df1	df2	Sig.
1.273	1	48	.265

#### Uji Two Way Anova

##### Tests of Between-Subjects Effects

Dependent Variable: Kreatinin

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	.981 <sup>a</sup>	9	.109	18.284	.000
Intercept	50.080	1	50.080	8401.280	.000
Pre.Post	.861	1	.861	144.384	.000
Kel.Perlakuan	.079	4	.020	3.333	.019
Pre.Post * Kel.Perlakuan	.041	4	.010	1.711	.167
Error	.238	40	.006		
Total	51.299	50			
Corrected Total	1.219	49			

a. R Squared = .804 (Adjusted R Squared = .760)

## Uji Post Hoc Duncan

### Kreatinin

Duncan<sup>a,b</sup>

Kel.Perlakuan	N	Subset	
		1	2
Kontrol Negatif	10	.9250	
Perlakuan 2	10		1.0010
Perlakuan 3	10		1.0180
Kontrol Positif	10		1.0200
Perlakuan 1	10		1.0400
Sig.		1.000	.312

Means for groups in homogeneous subsets are displayed.

Based on observed means.

The error term is Mean Square(Error) = .006.

a. Uses Harmonic Mean Sample Size = 10.000.

b. Alpha = 0.05.

## Urea

## Uji Normalitas

### Tests of Normality

	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Urea	.119	50	.073	.960	50	.085

a. Lilliefors Significance Correction

## Uji Homogenitas

### Test of Homogeneity of Variances

Urea

Levene Statistic	df1	df2	Sig.
.385	1	48	.538

## Uji Two Way Anova

### Tests of Between-Subjects Effects

Dependent Variable: Urea

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	1750.364 <sup>a</sup>	9	194.485	56.557	.000
Intercept	26594.176	1	26594.176	7733.756	.000
Pre.Post	1197.268	1	1197.268	348.173	.000
Kel.Perlakuan	283.369	4	70.842	20.601	.000
Pre.Post * Kel.Perlakuan	269.727	4	67.432	19.610	.000
Error	137.549	40	3.439		
Total	28482.089	50			
Corrected Total	1887.913	49			

a. R Squared = .927 (Adjusted R Squared = .911)

## Uji Post Hoc Duncan

### Urea

Duncan<sup>a,b</sup>

Kel.Perlakuan	N	Subset		
		1	2	3
Kontrol Negatif	10	19.5390		
Perlakuan 3	10		21.5000	
Kontrol Positif	10		23.0000	
Perlakuan 2	10			25.3050
Perlakuan 1	10			25.9690
Sig.		1.000	.078	.428

Means for groups in homogeneous subsets are displayed.

Based on observed means.

The error term is Mean Square(Error) = 3.439.

a. Uses Harmonic Mean Sample Size = 10.000.

b. Alpha = 0.05.